

Silox India Private Limited
Kalali Road, Atladra, Vadodara 390 012, Gujarat, India
Telephone: +91 265 2680401-05
URL: www.silox-india.com

**TENDER DOCUMENT FOR ANNUAL CONTRACT
FOR PROVIDING CIVIL WORK
AT SILOX INDIA PRIVATE LIMITED.**

Silox India Private Limited having its registered office at Kalali Road, Atladra, Vadodara-390 012 wishes to enter-into an Annual Contract for civil work as per the details enclosed in the Tender Document. Interested Bidders may fill in the enclosed Tender Form along with acceptance of Terms & Conditions attached herewith and submit the same in a **“SEALED OPAQUE ENVELOP”** to:

VICE PRESIDENT (Materials)
Silox India Private Limited,
Kalali Road, Atladra, Vadodara - 390012
Phone: 91 265 2680401 - 5

SITE	: Atladara and Ekalbara
TENDER NO	: SIPL/TENDERS/CIVIL WORK/2026-28/3
CONTRACT PERIOD	: From 01.08.2026 to 31.12.2028
LAST DATE OF RECEIPT FOR BIDS	: 30-06-2026
CONTACT PERSON	: Ms. Nehal Kalgude

Any recipient of the documents for the proposed Contract for the purpose of submitting a tender (whether they submit this tender or not) shall treat the details of this document as “Private and Confidential”.

INDEX

- **NOTICE INVITING TENDER**
- **INSTRUCTION TO THE BIDDER**
- **SCOPE OF WORK**
- **CONTRACT TERMS AND CONDITIONS**
- **GENERALTERMS & CONDITIONS**
- **STATUTORY, EHS & OTHER COMPLIANCE REQUIREMENTS**
- **CHECKLIST FOR PRE-ONBOARDING AND ONBOARDING**
- **FORMAT FOR OFFER LETTER**
- **ANNEXURE I**

NOTICE INVITING TENDER

Silox India Private Limited,
Kalali Road, Atladra, Vadodara - 390012
Phone : 2680401 - 5

SUBJECT: Tender for providing Civil Work at Silox India Private Limited.

TENDER REF NO.: SIPL/TENDERS/CIVIL/2026-28/3

Bids are invited from reputed and reliable Service Provider/ Agencies who are experienced in Handling job in Chemical Industry by FLT (Faith, Love & Trust), fulfil the Eligibility Criteria mentioned in the General Terms & Conditions hereinafter and can provide Security Services as mentioned in Tender Document at Various Plants of Silox India Private Limited (SIPL).

Bid cannot be submitted after due date and time. The Company reserves the right to accept or reject any bid without assigning any reason thereof. Bids of any tenderer may be rejected if a conflict of interest is detected between the bidder & the Company at any stage. The company reserves the right to award the contract to one or more Service Providers at its sole discretion.

INSTRUCTION TO THE BIDDER

Silox India Private Limited (SIPL) is a Indo-Belgium Joint Venture, embodying a combined vision to excel in the Global Inorganic Chemical Industry. Guided by science and driven by technology, our product portfolio caters to diverse end use segments such as Textile, Paints & Coatings, Rubber, Pharma, Polymer, Ceramic, Paper and Personal Care etc. Please visit our Website (www.silox-india.com) for more information.

SIPL wishes to enter-into an Annual Contract for Civil Work Services at Atladra and Ekalbara site as per scope of work mentioned in the Tender document.

The following Information / Credential of Service Providers / Bidder is Compulsory and should be furnished completed in all aspects along with your offer.

1. Brief history of organization, along with organization chart, mentioning the Name, Address, List of Branches with details, Designation & Telephone Nos of the contact persons in your company holding all key positions.
2. List of work executed of similar nature during last five years
3. Maximum amount of Work done of similar type of works
4. Last three years' balance sheet of the company
5. Bank's solvency certificate/ Banker's name and your Company's annual audited report.
6. Income tax clearance certificate
7. Partnership deed if firm is partnership firm & memorandum of articles, if company is limited one.
8. Work Experience / Credential Certificate from the client for successfully executed work
9. Resumes of key technical persons
10. Completion certificate of the works executed for last 5 years
11. If the space provided in the registration form is not enough, please attach separate Sheets and give Annexure reference number on the attached sheet.
12. GST SAC (Service Accounting Code) Code & GST Tax % applicable.
13. PF / ESIC Registration Certificate.

14. Registration Details

- a. Firm's/Company's Registration No. (Kindly attach Self-Authorised photocopy)
- b. Membership to any body
- c. Any other Statutory Registration.
- d. Partnership deed/Proprietor or Limited CO's Certificate.
- e.** Registration details with taxation authorities (Kindly attach a Self-Authorised photocopy): Permanent Income Tax A/c No., Goods & Service Tax (GST)
Registration No.

SCOPE OF WORK

1. The Service Provider agrees and acknowledges that the scope of work under this Agreement shall be as follows:

Civil Work at Atladara and Ekalbara Site
(details as per Annexure- I)

2. The Parties acknowledge that no Personnel of the Client shall be deputed or stationed at the it's premises for the performance of Services under this Agreement. Accordingly, The Client shall have no control or supervision over the day-to-day activities of the Personnel engaged by the Service Provider. The Service Provider shall remain solely responsible for all tools, equipment, safety measures, and supervisory arrangements necessary for performance of the Services.
3. Notwithstanding the above, the Client shall have the right to inspect the Service Provider's premises, equipment, and production processes, subject to reasonable prior notice, to assess quality, compliance, and adherence to agreed specifications, as per the terms of this Agreement.
4. The unit rates for the Services provided shall be specified by the Client to the Service Provider in the Annexure -II attached hereto.
5. The Services provided must comply with the Statutory, EHS and other requirements as applicable and detailed in the Annexure - III attached hereto.
6. The Service Provider shall use the personnel of the type and numbers necessary to perform the Services. The Service Provider shall ensure the Personnel are experienced, properly trained, fully qualified, fit for their respective assignments, and, to the extent required, licensed to perform work, in accordance with Applicable Law.
7. [The Service Provider shall not reassign or change any identified Personnel without first consulting with and securing the Client's written consent. The Client, in its sole discretion, may direct the Service Provider in writing to remove or replace any of the Personnel from rendering Services, with no additional cost to the Client. The Service Provider shall make such a replacement in a timely manner so as not to delay or otherwise affect provisions of Services to the Client, or delay or reduce or impact the provision of Services. At all times, the Service Provider shall maintain such number of personnel as the Client may direct to from time to time.

CONTRACT TERMS AND CONDITIONS

1. SERVICES

- 1.1. The Client agrees to avail the Services from the Service Provider, and the Service Provider agrees to provide the Services to the Client on the terms and conditions specified in this Agreement.
- 1.2. The Service Provider shall:
 - (a) Provide the Services in compliance with this Agreement and Applicable Laws. If any Approvals are to be obtained for the provision of Services, the same shall be obtained by the Service Provider.
 - (b) Perform the Services (i) in a professional diligent and timely manner (ii) as per good commercial practices and (iii) within the rates specified by the Client.
 - (c) Retain and utilize a sufficient number of qualified personnel to perform the Services.
 - (d) Ensure that all Personnel who are engaged to perform the Services are appropriately trained and qualified to perform such Services; and
 - (e) Devote its time and attention necessary to provide the Services in accordance with the best of the industry standards and meet any quality standards as may be specified by the Client.
 - (f) Ensure that Services are performed in accordance with applicable Safety, Health and Environment (EHS) requirements notified by the Client, and that all Personnel operate in compliance with relevant occupational safety standards under Applicable Law.
- 1.3. Unless otherwise authorized in writing, the Services Provider shall not have any authority pursuant to this Agreement to commit the Client to any obligation in any manner whatsoever with respect to third parties or to enter into any contracts on behalf of the Client. The Service Provider shall not have, nor represent itself as having, any authority under the terms of this Agreement to make agreements of any kind in the name of or binding upon the Client.
- 1.4. The Service Provider shall keep the Client promptly informed of all material matters which come to the Service Provider's attention relating to or affecting the business of the Client or any matters concerning the provision of Services hereunder by the Service Provider.

2. RECORDS

- 2.1. At the time of commencement of this Agreement on the Commencement Date (hereinafter defined in clause 9.1), the Service Provider shall provide copies of all documents, filings, licenses and / or registrations.
- 2.2. During the term of this Agreement, the Service Provider shall maintain proper and accurate records, in relation to all matters concerning the Services (including records pertaining to its Personnel, pay slips of the Personnel, billing, invoicing, tax and expense records) in accordance with Part B of Annexure IV to this Agreement, any Applicable Laws and any protocols and practices specified by the Client in this regard.
- 2.3. Upon Client's request, the Service Provider shall promptly provide Client (and to its advisors and representatives) may, upon prior notice, access and audit such records at the Service Provider's premises, including Personnel deployment, compliance documents, wage records, and statutory contributions related to Services under this Agreement, including all records of billing, invoices, supporting documents, taxes, and payments records (including evidence of statutory and non-statutory contributions, filings, records, registers, pay slips, etc.).
- 2.4. The Client reserves the right to audit (or demand copies of) the Service Provider's invoices, records of expense, charges, Personnel payments and statutory contributions, at its discretion. Payment of any Service Provider invoice by Client does not constitute Client's waiver of auditing rights, nor shall it prevent Client from exercising any rights it may have under this Agreement or under Applicable Laws.
- 2.5. Further, the Service Provider shall seek appropriate consent from its Personnel and shall give all such information concerning the Services that is within its control and solely to the extent permissible under Applicable Law, regulation and contract, to Client as may be requested in writing including but not limited to salary / compensation information, offer letters/consultant agreements of the Personnel, challans and returns demonstrating the payment of social security obligations, licenses, and registrations obtained or filed under the Applicable Laws for auditing/assessing the compliance of the Service Provider's obligations under this Agreement or under the Applicable Laws.

3. Statutory Obligations:

- 3.1. It is expressly agreed and understood that the sole responsibility for determining, assessing, and ensuring compliance with any and all statutory obligations, including but not limited to the adequacy, eligibility, classification, and applicability under relevant Applicable Laws in respect of Personnel, shall vest exclusively with the Service Provider.
- 3.2. From the Effective Date of this Agreement, the Service Provider ensure compliance with all relevant statutory provisions under the relevant labour laws, including but not limited to the following:
 - (a) The Factories Act 1948;

- (b) The Employees' Provident Fund and Miscellaneous Provisions Act 1952 ("**EPF Act**");
- (c) The Employees' State Insurance Act 1948 ("**ESI Act**");
- (d) The Minimum Wages Act 1948;
- (e) The Payment of Bonus Act 1965;
- (f) The Employees' Compensation Act 1923;
- (g) Payment of Gratuity Act 1972;
- (h) Maternity Benefit Act 1961; and
- (i) Child Labour (Prohibition and Regulation) Act 1986

The Service Provider shall ensure compliance with all applicable provisions relating to retrenchment benefits as prescribed under the Industrial Disputes Act 1947, and any other applicable labour laws, as amended from time to time, in respect of the Personnel engaged for the provision of Services, and the Client shall not be responsible for the same.

- 3.3. Further, the Service Provider shall be solely responsible for ensuring that its Personnel are provided with amenities and welfare facilities (including access to canteens, restrooms, drinking water, and first-aid arrangements) as may be required under Applicable Laws, including the Factories Act, 1948, where applicable.
- 3.4. The Service Provider shall ensure accurate and timely computation and processing of payroll, including salaries, wages, overtime payments, and applicable statutory contributions / payments / deductions in relation to all Personnel engaged to render Services under this Agreement, and shall furnish documentary evidence of the same to the Client in such frequency as may be mutually agreed. The Service Provider shall obtain and maintain, at its own cost, a workmen compensation policy and comprehensive insurance providing insurance coverage to its Personnel, as applicable.
- 3.5. The Service Provider shall be solely responsible for ensuring that the working hours of all Personnel engaged under this Agreement are in strict compliance with the provisions of the Factories Act, 1948, the Shops and Establishments Act. The Service Provider shall ensure that no Personnel exceeds the maximum permissible limit of overtime hours as may be prescribed under Applicable Laws. In the event if any Personnel are required to work in excess of the daily or weekly working hours, such work shall be treated as overtime and shall be compensated by the Service Provider strictly in accordance with the overtime rates mandated by the Applicable Laws. Such additional payments shall not be payable by the Client or recoverable by the Service Provider from the Client.

- 3.6. The Service Provider shall ensure that all Personnel are granted weekly rest days and statutory leave entitlements (including earned, casual, and sick leave) in compliance with the Factories Act, 1948, the applicable Shops and Establishments Act, and other Applicable Laws. It shall maintain accurate leave records and ensure appropriate carry-forward or accumulation of any unavailed earned leave and subsequent encashment thereof at cessation of service, in accordance with Applicable Laws.
- 3.7. Upon cessation of employment of any Personnel, the Service Provider shall be solely responsible for ensuring timely disbursement of all full and final settlement dues, including but not limited to retrenchment compensation, gratuity, leave encashment (as maybe applicable). Costs of such payments made by the Service Provider shall not be recoverable from the Client.
- 3.8. It may be noted that any invoices / bills submitted by the Service Provider for Services rendered shall be processed by the Client only up on submission of satisfactory proof of statutory remittances, including relevant filings and / or challans under the EPF Act, ESI Act, state-specific professional tax and labour welfare fund statutes, in respect of the Personnel engaged by Service Provider.
- 3.9. Any costs, penalties, or liabilities incurred by the Client due to the Service Provider's failure to comply with Applicable Laws or statutory requirements, shall be recoverable in full from the Service Provider, and the Client shall be entitled to deduct such amounts from any payments due or recover the same as a debt.
- 3.10. The Service Provider shall strictly adhere to and comply with the EHS standards and policies of the Client, as may be communicated from time to time. The Service Provider shall also provide an undertaking confirming that it has understood all the applicable EHS requirements and shall ensure full compliance with the same at its worksite / premises.

4. CONSIDERATION

- 4.1. In consideration of the Services rendered by the Service Provider, the Client shall pay to the Service Provider, Charges as specified in the Contract on a monthly basis.
- 4.2. For avoidance of doubt, it is hereby clarified that Unit Charges payable to the Service Provider shall be inclusive of contractual and / or statutory wages, social security and other statutory contributions and payments, cost of Personnel Protective Equipment and service charges payable to the Service Provider. Accordingly, it shall be the sole responsibility of the Service Provide to ensure compliance with Applicable Laws.
- 4.3. The Unit Charges to be paid as specified above shall be exclusive of Goods and Services Tax (GST).
- 4.4. The Client shall pay the Unit Charges for Service Provided within 30 days of receipt of Invoice from the Service Provider.

4.5. In event of any service(s) provided that are not included in the list of services as specified in this Agreement, the parties shall mutually agree upon such services and charges thereof.

4.6. All payments made by the Client to the Service Provider shall be subject to deduction of applicable taxes. The Client shall issue the required certificate evidencing such a Tax deduction in accordance with Applicable Laws.

5. REPRESENTATION AND WARRANTIES

5.1. Each Party hereby warrants and represents to the other Party that

- (a) It has full power and authority to enter into this Agreement and perform its obligations hereunder.
- (b) This Agreement has been duly executed by it and this Agreement constitutes its legal, valid and binding obligation enforceable in accordance with the terms contained herein;
- (c) The execution, delivery and the performance by it of this Agreement does not and will not (i) breach or constitute a default under its constitutive documents, or (ii) result in a breach of, or constitute a default under, any agreement to which it is a party or by which it is bound.

5.2. The Service Provider hereby represents and warrants to the Client:

- (a) It will provide the Services in compliance with the provisions of this Agreement;
- (b) It will act in good faith and use reasonable skill and care in the provision of Services under this Agreement.
- (c) It will comply with all Applicable Laws in the provision of the Services;
- (d) It has all requisite corporate and other approvals, licenses and permits from relevant government authorities to provide the Services.
- (e) shall be responsible for paying all taxes, dues, wages, contributions, charges, etc., under the state and central laws with respect to Personnel and any other persons engaged by it, for the provision of the Services; and
- (f) shall maintain the registers, adhere to all applicable statutory compliances and file returns with the concerned authorities under the applicable labour welfare legislations.
- (g) It will indemnify the Client of all legal obligations/damages arising out of any statutory non-compliances from them in the area related to the Services provided to the Client.

6. OBLIGATIONS OF THE CLIENT

- 6.1. During the performance of the Services the Client will co-operate with the Service Provider as the Service Provider reasonably requires;
- 6.2. The Client shall provide information and documents as the Service Provider reasonably requires for provision of Services.

7. TERM AND TERMINATION

- 7.1. This Agreement shall commence on 01.01.2026 and continue to be in full force and effect for a period of 2 years, unless terminated as specified below. Thereafter, this Agreement may be renewed upon the mutual consent of the Parties.
- 7.2. This Agreement may be terminated as follows:
 - (a) By either Party upon providing a written notice of 90 (ninety) days prior written notice to the other Party; or
 - (b) By the Client, in this event a material breach of any provision hereof is committed by the Service Provider; by providing 30 (thirty) days written notice to the Service Provider with reasons of termination stated thereunder, or
 - (c) By the Service Provider, in the event of failure of the Client to pay Unit Charges, by providing 30 (thirty) days written notice to the Service Provider with reasons of termination stated thereunder.
- 7.3. After termination or expiry of this Agreement for any reason whatsoever, and at any time during its continuance, the Service Provider shall not (and shall ensure that its Personnel shall not) knowingly take any action that has the effect of disparaging the Client or any of its affiliates or its or their employees, contractors, consultants, artists, creators or affiliates. Immediately upon termination or expiration of the Agreement, the Service Provider shall cease providing the Services in accordance with the Client's written instructions and shall ensure that all its Personnel and employees comply with all such instructions and requirements stipulated by the Client.
- 7.4. The Service Provider agrees that at the time of termination of this Agreement, or at any time upon the Client's request, the Service Provider shall (and shall ensure that its Personnel shall) deliver to the Client (and shall not keep in their possession, recreate or deliver to anyone else) any and all devices, records, data, notes, reports, materials, equipment, hardware computers, other documents, property, confidential information, intellectual property, or reproductions of any aforementioned items received from the Client or developed by the Service Provider (and/or its Personnel) pursuant to the Services, or that otherwise belonging to the Client (or to any of the Client's clients, customers or personnel). The Service Provider agrees to indemnify the Client for any

and all losses, damages suffered by the Client as a result of the Service Provider's failure to promptly return any property or equipment described above to the Client.

- 7.5. After the termination of this Agreement, the Service Provider shall not (and shall ensure that its Personnel do not) at any time or for any purpose use the name, trademark, logo or property of the Client for any purpose, including in connection with their own business or the business of another or any other name in any way calculated or likely to suggest that they are or have been associated, affiliated or connected with the Client, nor shall they use any property, material, or information which they may have acquired in the course of or as incident to performance of the Services for the Client that concerns the Client, its affiliates, clients, customers or their employees or personnel.

8. OWNERSHIP OF INTELLECTUAL PROPERTY

- 8.1. Confidentiality: The Service Provider shall maintain the strict confidentiality of all proprietary information, trade secrets, intellectual property, and other confidential materials belonging to the Client ("**Confidential Information**"), and shall ensure that all Personnel engaged under this Agreement are bound by equivalent confidentiality obligations. Such Confidential Information shall not be disclosed, published, or used for any purpose other than as expressly authorised in writing by the Client and strictly in connection with the performance of the Services under this Agreement.
- 8.2. The Service Provider further agrees that neither it nor any of its Personnel shall, directly or indirectly, during the term of this Agreement or at any time thereafter, use, disclose, or permit the use or disclosure of any Confidential Information in connection with any business or activity other than that of the Client or its affiliates, unless such disclosure has been specifically authorised in writing by the Client. These obligations shall survive the expiry or termination of this Agreement.
- 8.3. Intellectual Property: Client shall retain all right, title and interest in and to Client's intellectual property and no right, title or interest therein is transferred or granted to Service Provider under this Agreement except for use in performing Services hereunder and for no other purpose. Service Provider shall retain all right, title and interest in and to its own technology and information and except as expressly set forth in this Agreement no right, title or interest therein is transferred or granted to Client under this Agreement.
- 8.4. In connection with provision of services, the Service Provider may generate, create, write, or produce literary works or other works of authorship including but not limited to manuals, training materials, report, advice, methodologies, code, test data, analysis, studies, research documentation (herein after referred to as "**Work Product**")
- 8.5. The Work Product and copyright and intellectual property rights in and to such Work Product created and provided by the Service Provider to the Client pursuant to this agreement shall be owned by the Client. To the extent that the ownership of such Work Product does not vest in the Client, the Service Provider hereby irrevocably assigns and shall cause the Personnel to irrevocably assign to the Client all right, title and interest

that they may have or may hereafter acquire in the Intellectual Property in perpetuity and on worldwide basis and without any restrictions as to use or exploitation, including but not limited to all copyright, patents, trademark and other intellectual property rights therein.

- 8.6. The Service Provider hereby irrevocably and unconditionally waive and shall cause the Personnel to waive any and all moral rights or any rights of similar nature under any law in any jurisdiction in and to Intellectual Property including any and all material written, created or devised by the Personnel whether solely or jointly and pertaining specifically to the operation or business of the Client or resulting from or suggested by anything which its Personnel shall have done pursuant to the envisaged arrangement with the Client.

9. FORCE MAJEURE

- 9.1. If and to the extent that a Party's performance of any of its obligations under this Agreement is hindered or delayed by fire, flood, earthquake, elements of nature or acts of God, acts of war, terrorism, riots, civil disorders, rebellions or revolutions or any other similar cause beyond the reasonable control of such Party (each a "**Force Majeure Event**") and such nonperformance, hindrance, or delay could not have been prevented by reasonable precautions, then the non-performing, hindered or delayed Party will be excused for such nonperformance, hindrance or delay as applicable of those obligations effected by the Force Measure Event for as long as such Force Measure Event continues and such Party continues to use its best efforts to recommence performance whenever and to whatever extent possible without delay including through the use of alternate sources, work around plans or other means. The Party whose performance is prevented, hindered or delayed by a Force Measure Event will immediately notify the other Party of the occurrence of the Force Measure Event and describe in reasonable detail the nature of the Force Measure Event.
- 9.2. If the Force Measure Event continues for a continuous period exceeding 30 (thirty) days, the Parties shall mutually agree on the future course of action. However, despite all efforts by the Parties in good faith if the Force Measure Event continues for a period of 90 (ninety) days either of the Parties shall have the right to terminate the Agreement by giving the other Party notice of termination in writing.

10. INDEMNITY

- 10.1. The Service Provider hereby agrees to fully and completely indemnify and hold the Client harmless from any and all damage, fines, penalties, costs, amounts and expenses, claims, actions, suits, judgements, enforcements and / or proceedings (including without limitation any attorney's fees), or other losses arising out of or relating to:
- (a) Breach of this Service Agreement by the Service Provider;

- (b) Breach of any representation or warranty by the Service Provider;
- (c) Infringement or unauthorized use of any Client's confidential information or intellectual property rights;
- (d) Fraud, misconduct, negligence or deficiency in the Services performed;
- (e) Any infringement claim by a third party in relation to the Services rendered; and
- (f) Failure to abide by Applicable Laws during the term of the Agreement.

10.2. The Client has and reserves the right to set off any such claims / payment from the Unit Charges or any other payments payable to the Service Provider.

11. SERVERABILITY

11.1. If any provision of this Agreement shall for any reason be held to be invalid, illegal or unenforceable in any respect, such invalidity, illegality or unenforceability shall not affect any other provision thereof, and this Agreement shall be construed as if such invalid, illegal or unenforceable provision had never been contained herein.

11.2. Any invalid or unenforceable provision of this Agreement shall be replaced with the provision that is valid and enforceable and most nearly gives effect to the original intent of the invalid/unenforceable provision.

12. ENTIRE AGREEMENT

12.1. The Service Agreement constitutes the entire Agreement and understanding of the Parties with respect to the subject matter hereof and supersedes any and all prior negotiations, correspondence, agreements, understandings, duties or obligations between the Parties with respect to the subject matter hereof.

13. NO OTHER RIGHTS GRANTED

13.1. Nothing in this Agreement is intended to grant any right under any patent, copyright, or other intellectual property rights for any Party in favour of the other, nor shall this Agreement be construed to grant any Party any rights in or to the other Party's confidential information, except the limited right to use such confidential information in connection with the Services to be provided under this Agreement.

13.2. The Client or the Service Provider shall not receive any intellectual property rights in the confidential information of the other Party other than limited to the use of Confidential Information for the purposes specified in this Agreement. All intellectual property rights shall continue to vest with the Party disclosing the Confidential information.

14. AMENDMENTS

14.1. Any change, alteration, amendment, or modification to this Service Agreement must be in writing and signed by authorized representative of both the Parties.

15. DISPUTE RESOLUTION

15.1. Any dispute(s) arising under this Agreement, shall as far as possible, be settled amicably between the Parties hereto failing which the following shall apply:

- (a) Any dispute under this agreement shall be referred to arbitration by a sole arbitrator to be appointed by the Managing Director of the Client.
- (b) The arbitration proceedings shall be held in Vadodara, Gujarat, India in accordance with the provisions of the Arbitration and Conciliation Act 1996 Or any statutory re-enactment or modification thereof for the time in force.
- (c) The parties agree that the arbitration award shall be final and may be enforced as a decree.
- (d) The parties further agree that subject to the above only the competent courts at Vadodara shall have jurisdiction in all matters arising hereunder.
- (e) The Parties further agree to keep the arbitration proceedings and the arbitral award confidential.

16. INDEPENDENT PARTIES

16.1. The Agreement is on principal-to-principal basis and nothing contained or implied in this Agreement shall or shall be deemed to constitute or creates a joint venture or partnership between the Parties or place them in a partnership, employer-employee, agency, trust, or joint venture relationship.

16.2. The Service Provider's relationship with the Client is that of an independent contractor. The Service Provider is not an agent of the Client and is not authorized to and shall not have any authority to make any representation, contract or commitment on behalf of the Client, or otherwise bind the Client in any respect.

16.3. The Service Provider covenants that it has the sole right, control and discretion to perform and direct the means, details, manner and method by which the Services will be performed, and the right to perform the Services at any place, location and using any qualified personnel.

16.4. The Service Provider shall be solely responsible for all its tax, payments, filings and compliances required to be filed with (or made to) any authority with respect to the Service Provider's performance of Services or receipt of fees under this Agreement. The Service Provider shall comply with, and agrees to accept exclusive liability for non-

compliance with, all applicable governmental rules and regulations, including obligations such as payment of taxes and other contributions on the fees received by it under this Agreement.

17. EXCLUSIVITY

17.1. Nothing in this Agreement restricts a party or its group companies from discussing similar arrangements and or any related transaction with other party and regulatory body in India their respective successors.

18. NON-SOLICITATION:

18.1. During the term of this Agreement and for a period of three (3) years immediately following its expiry or termination, the Service Provider agrees not to adversely interfere with the business of the Client by directly or indirectly hiring or employing or soliciting or attempting to solicit its employees, executives, intern, independent contractor, or consultant to become an employee of, consultant to or director or advisor for the Service Provider or any other entity, without written consent of the Client.

19. ASSIGNMENT

19.1. The Service Provider shall not assign or transfer, whole or part of this Agreement awarded to him or whole or part of his work, services, obligations, responsibilities, liabilities and rights hereinabove or sub-contract any of its work, services, obligations, responsibilities, liabilities and rights hereunder to any other person or party without the prior written consent of the Company.

20. NOTICES

20.1. Except as otherwise specified in this Service Agreement all notices, requests, consents, approvals, agreements, authorizations, acknowledgements, waivers and other communications required or permitted under this service Agreement shall be deemed given when sent to the address specified below:

(a) **Client:**

(i) Attention: Executive Vice President – Materials

(ii) Address: Kalali Road, Atladra, Vadodara- 390 012, Gujarat, India

(b) **Service Provider:**

(i) Attention: [insert details]

(ii) Address: [insert address]

20.2. Either party may change its address for notification purposes by giving the other party 10 (ten) days' notice of the new address and the date upon which it will become effective.

21. GOVERNING LAW

21.1. This Agreement and all issues arising out of the same shall be construed in accordance with the laws of India.

22. PUBLIC ANNOUNCEMENTS

22.1. No Party shall make or publish any announcement or press release concerning or connected with this Agreement, without the prior written consent of the other Party, unless otherwise required by law.

23. SURVIVAL

23.1. The termination of this Agreement shall not affect those provisions hereof that by their nature are intended to survive such termination.

GENERAL TERMS AND CONDITIONS

1. Personnel must be deployed after due verification by company's HR Department and training by Safety Department.
2. The Service Provider will provide PPEs (ISI Approved) i.e., Safety Shoes, Safety Helmet, Safety Goggles, etc. mandatory to execute the task to its personnel.
3. Service Provider must submit Medical Fitness Certificate of all their personnel to SIPL from its approved list of hospitals. Also, yearly Medical Checkups to be conducted for all its personnel.
4. SIPL shall charge Penalty in case of violation of Safety Norms.
5. The Service Provider must maintain good housekeeping during & after work.
6. IDENTITY CARD of every personnel of Service Provider is mandatory.
7. The Service Provider shall ensure that all Covid-19 (Pandemic) related guidelines and safety precautions shall be strictly adhered to.
8. The Service Provider must make his own arrangement of accommodation for Personnel deployed.
9. No addition charges shall be paid to Service Provider for any urgent nature of the job executed as per instruction of SIPL.
10. No escalation of price & taxes shall be given to the Service Provider for allotted work during the contract period.
11. The Service Provider Personnel should follow the rules & regulations of our organization.

12. Rates offered must be inclusive of service charges and all statutory obligations (PF & EDLI, ESIC/WC Premium (as per the applicability at Atladra site), Bonus, Insurance, Minimum Wages, and any statutory payment applicable to the contractor)
13. Rates offered are for 30/31 days.
 - a. GST extra as applicable shall be paid as per rules.
 - b. Payment for amount of PF & ESI contribution will be reimbursed against submission of PF & ESI challans.
14. The Service Provider and its Personnel are not allowed to carry Mobile/pan-padiki-gutka/lighters matchbox inside the plant. Anyone found carrying the same the Service Provider would be penalized accordingly. No personnel are allowed on site under the influence of alcohol or drugs. SIPL reserves the right to ban such personnel from working at any of its sites.
15. No interest will be paid to the Service Provider on the Security deposit /Retention money.
16. Subletting of Work
No part of the contract or any share or interest therein shall in any manner or degree be transferred, assigned or sublet by the Service Provider directly or indirectly to any person, firm or corporation without written consent from SIPL.

Statutory, EHS, and Other Compliance Requirements

Pursuant to Agreement, the Service Provider shall ensure that the Services provided to the Client are in strict compliance with the following statutory, environmental, health and safety requirements:

1. HUMAN RIGHTS AND ESG

- 1.1. The Service Provider covenants that, in the performance of its obligations under this Agreement, it shall comply with all applicable labour, employment, environmental, health, and safety laws, as well as applicable human rights obligations under the Constitution of India and other laws in force, and shall adhere to internationally recognized standards and frameworks including, without limitation:
 - (a) The United Nations Guiding Principles on Business and Human Rights;
 - (b) The International Labour Organization Declaration on Fundamental Principles and Rights at Work; and
 - (c) Any other ESG standards and sustainability frameworks as may be reasonably notified by the Client from time to time.
- 1.2. The Service Provider represents, warrants and undertakes that:

- (a) No forced, bonded, trafficked or child / adolescent labour shall be engaged in the provision of the Services;
 - (b) The employment terms of all Personnel shall be fair, transparent, and compliant with Applicable Laws, including minimum wage, social security, and health and safety regulations;
 - (c) All working hours and overtime arrangements shall be voluntary, lawful, and not exploitative in nature; and
 - (d) Personnel shall be provided a safe and healthy working environment, in compliance with the Client's EHS policies and applicable occupational health and safety standards.
- 1.3. The Service Provider shall ensure that all Personnel engaged in connection with the Services are treated with dignity and respect and shall not be subjected to discrimination, harassment, coercion, intimidation, abuse (whether verbal, physical, or psychological), or any inhumane or degrading treatment. The Service Provider shall adopt, implement, and enforce appropriate policies to ensure a work environment free from all forms of unlawful discrimination or harassment, including sexual harassment, in accordance with the Sexual Harassment of Women at Workplace (Prevention, Prohibition and Redressal) Act, 2013.
- 1.4. The Client (or its authorised representatives) shall have the right, on reasonable prior notice, to audit and / or assess the Service Provider's compliance with this Clause 24, including by requesting relevant documentation or conducting site visits. The Service Provider shall cooperate in good faith with any such audit or assessment.
- 1.5. In the event the Service Provider is found to have materially breached its obligations under this Annexure III or fails to take timely remedial action upon notice of any such breach, the same shall constitute a material breach of this Agreement and entitle the Client, without prejudice to any other rights or remedies, to terminate this Agreement, in whole or in part.

A. One-Time Documents Checklist for Pre-Onboarding and On-Boarding:

1. Copy of Registration under Companies Act,1956 (If registered)
2. Copy of Registration under Gujarat Shops and Establishments (Regulation of Employment and Conditions of Service) Act, 2019 / license under the Factories Act 1948
3. Copy of PAN Card under Income Tax Act, 1961
4. Copy of Registration under Central Goods and Services Tax Act, 2017
5. PF Code Allotment Letter under Employees' Provident Fund and Miscellaneous Provisions Act ,1952
6. ESIC Code allotment Letter under Employee State Insurance Act 1948
7. WC Policy under Employee (Workmen) Compensation Act, 1923 (as per applicability)
8. Copy of Work /Purchase Order
9. Registration Under Professional Tax Act 1975
10. Registration Under Gujarat Labour Welfare Fund Act, 1953
11. Proof showing Date of Commencement of work
12. Bank A/c Number, Address (Cancelled Cheque)
13. Name & Contact Details of Responsible Person on letter head of Firm/Company
14. Consolidated Annual Return
15. Factory License under Factories Act, 1948

B. Monthly/Periodic Documents

1. Employment Register (Form A)
2. Wages Register (Form B)
3. Register of Loan/Recoveries (Form C)
4. Attendance Register (Form D)
5. Leave with Wages Register & Card Form 18 under Factories Act,1948
6. Copy of PF Challan with ECR & Remittance Slip
7. ESIC Contribution History (names of person engaged for Services should be highlighted) and Payment Receipt
8. Bank Advice duly received by bank (names of person engaged for Services should be highlighted)
9. Form 19 Salary Slip under CLRA
10. Professional Tax Receipt (Employer contribution every year & Employee contribution every month)
11. Labour Welfare Fund Receipt (For June & December Month)
12. Form A,B,C,D Under Payment of Bonus Act,1965 (whenever applicable)
13. CNV Forms, ER1 and ER2 as per applicability
14. PF Nomination Form/Form-11
15. ESI Nomination Form
16. Gratuity Nomination Form - F
17. Relieving Formalities of exiting Personnel

FORMAT FOR OFFER LETTER

To,
Senior Manager - Materials
Silox India Private Limited.
Kalali Road, Atladra, Vadodara - 390012
Phone: 2680401 – 5

Sir,

1. We hereby undertake to perform the scope of work as defined in the Tender of Silox India Private Limited, Tender Ref no: SIPL/TENDERS/CIVIL WORK/2026-28/1, dated _____ at the prices and within the period stated in the attached schedules & in conformity with all the conditions are included therein.
2. This offer is valid for a minimum period of ____ days.
3. We agree that any Contract placed as result of this offer will be in accordance with the terms & conditions in the said offer. We declare that any other terms or conditions of the contract or any general reservations which may be printed on any correspondence of documents emanating from us in connection with tender shall not form part of any resulting contract unless specifically agreed to by SIPL and included in this contract.
4. We also enclose herewith the following documents:
 - a. Schedule of compliance with Acceptance of contract conditions.
 - b. Schedule of prices (Price Formats to be completed as below:)
Fill the rates in attached excel sheet
 - c. The offer should contain all the details like GST Reg. No., PF / ESIC Reg. No. etc.
 - d. Documents required by SIPL as mentioned in "Instructions to Bidders".

M/s _____

Date:

Place:

Authorised Signatory
(Office Seal Name of the Company)

BID FOR CIVIL WORK AT SILOX INDIA PRIVATE LIMITED FOR ATLADRA AND EKALBARA SITE FOR THE YEAR CY 2026-28

- Name of the firm : _____

- Address : _____

- List of the branches along with details : _____

- Phone No. : _____
- Mobile No. : _____
- Email : _____
- Contact Person Name : _____

- PAN No.(Photocopy require
duly Self Authorized) : _____
- Partnership deed/proprietor or
Limited Co.'s Certificate : _____
- Copy of Registration certificate for
payment of Tax : _____
- Copy of Last 3 year filled Income-Tax Return : _____
- GST No. (Photocopy require
duly Self Attested) : _____
- PF / ESIC Registration No. : _____
(Photocopy require duly Self Attested)
- MSME Certificate : _____
(Photocopy require duly Self Attested)

ANNEXURE I

SCOPE OF WORK FOR CIVIL WORK AT ATLADARA AND EKALBARA SITES

The Service Provider M/s. xxxxx, shall engage Personnel for the provision of Services, and shall carry out the following activities:

ARC FOR CIVIL WORKS - ATLADRA & EKALBARA SITE			
SR NO	DESCRIPTION	UOM	RATE (RS)
1	EXCAVATION FOR FOUNDATION OF WALLS, COLUMNS, MACHINE, RAFTS AND BASEMENT, PLINTH BEAMS DUCTS, TRENCHES ETC. IN CORRECT DIMENSION IN ALL SORT OF SOILS LIKE BLACK, YELLOW, CLAYEY, SANDY, YELLOWISH BROWN CLAY, SOFT MURRUM, SOFT STONES INCLUDING LEVELING AND RAMMING THE BOTTOM OF TRENCHES, INCLUDING NECESSARY DEWATERING, IF REQUIRED AND REFILLING THE TRENCHES FOUNDATION PITS WITH SELECTED EXCAVATED EARTH UPTO ORIGINAL GROUND LEVEL IN LAYERS OF NOT MORE THEN 20 CM. ALSO INCLUDING WATERING AND CONSOLIDATING AND DEPOSING OR SPREADING THE EXCAVATED SURPLUS EARTH AS DIRECTED BY ARCHITECT / ENGINEER WITHIN 20 M ETC. COMPLETE AS DIRECTED. EARTH WORK: EXCAVATION FOR FOUNDATION FROM GROUND LEVEL TO 1.5 M DEPTH	CM3	
2	EXCAVATION FOR FOUNDATION OF WALLS, COLUMNS, MACHINE, RAFTS AND BASEMENT, PLINTH BEAMS DUCTS, TRENCHES ETC. IN CORRECT DIMENSION IN ALL SORT OF SOILS LIKE BLACK, YELLOW, CLAYEY, SANDY, YELLOWISH BROWN CLAY, SOFT MURRUM, SOFT STONES INCLUDING LEVELING AND RAMMING THE BOTTOM OF TRENCHES, INCLUDING NECESSARY DEWATERING, IF REQUIRED AND REFILLING THE TRENCHES FOUNDATION PITS WITH SELECTED EXCAVATED EARTH UPTO ORIGINAL GROUND LEVEL IN LAYERS OF NOT MORE THEN 20 CM. ALSO INCLUDING WATERING AND CONSOLIDATING AND DEPOSING OR SPREADING THE EXCAVATED SURPLUS EARTH AS DIRECTED BY ARCHITECT / ENGINEER WITHIN 20 M ETC. COMPLETE AS DIRECTED. EARTH WORK: EARTH WORK: EXCAVATION FOR FOUNDATION FROM 1.5 M TO 3.0 M DEPTH	CM3	
3	EXCAVATION FOR FOUNDATION OF WALLS, COLUMNS, MACHINE, RAFTS AND BASEMENT, PLINTH BEAMS DUCTS, TRENCHES ETC. IN CORRECT DIMENSION IN ALL SORT OF SOILS LIKE BLACK, YELLOW, CLAYEY, SANDY, YELLOWISH BROWN CLAY, SOFT MURRUM, SOFT STONES INCLUDING LEVELING AND RAMMING THE BOTTOM OF TRENCHES, INCLUDING NECESSARY DEWATERING, IF REQUIRED AND REFILLING THE TRENCHES FOUNDATION PITS WITH SELECTED EXCAVATED EARTH UPTO ORIGINAL GROUND LEVEL IN LAYERS OF NOT MORE THEN 20 CM. ALSO INCLUDING WATERING AND CONSOLIDATING AND DEPOSING OR SPREADING THE EXCAVATED SURPLUS EARTH AS DIRECTED BY ARCHITECT / ENGINEER WITHIN 20 M ETC. COMPLETE AS DIRECTED. EARTH WORK: EXCAVATION FOR FOUNDATION FROM 3.0 M TO 4.5 M DEPTH.	M3	

4	EXCAVATION FOR FOUNDATION OF WALLS, COLUMNS, MACHINE, RAFTS AND BASEMENT, PLINTH BEAMS DUCTS, TRENCHES ETC. IN CORRECT DIMENSION IN ALL SORT OF SOILS LIKE BLACK, YELLOW, CLAYEY, SANDY, YELLOWISH BROWN CLAY, SOFT MURRUM, SOFT STONES INCLUDING LEVELING AND RAMMING THE BOTTOM OF TRENCHES, INCLUDING NECESSARY DEWATERING, IF REQUIRED AND REFILLING THE TRENCHES FOUNDATION PITS WITH SELECTED EXCAVATED EARTH UPTO ORIGINAL GROUND LEVEL IN LAYERS OF NOT MORE THEN 20 CM. ALSO INCLUDING WATERING AND CONSOLIDATING AND DEPOSING OR SPREADING THE EXCAVATED SURPLUS EARTH AS DIRECTED BY ARCHITECT / ENGINEER WITHIN 20 M ETC. COMPLETE AS DIRECTED. EARTH WORK: EXCAVATION FOR FOUNDATION FROM 4.5 M TO 6 M DEPTH	CM3	
5	EXCAVATION FOR FOUNDATION OF WALLS, COLUMNS, MACHINE, RAFTS AND BASEMENT, PLINTH BEAMS DUCTS, TRENCHES ETC. IN CORRECT DIMENSION IN ALL SORT OF SOILS LIKE BLACK, YELLOW, CLAYEY, SANDY, YELLOWISH BROWN CLAY, SOFT MURRUM, SOFT STONES INCLUDING LEVELING AND RAMMING THE BOTTOM OF TRENCHES, INCLUDING NECESSARY DEWATERING, IF REQUIRED AND REFILLING THE TRENCHES FOUNDATION PITS WITH SELECTED EXCAVATED EARTH UPTO ORIGINAL GROUND LEVEL IN LAYERS OF NOT MORE THEN 20 CM. ALSO INCLUDING WATERING AND CONSOLIDATING AND DEPOSING OR SPREADING THE EXCAVATED SURPLUS EARTH AS DIRECTED BY ARCHITECT / ENGINEER WITHIN 20 M ETC. COMPLETE AS DIRECTED. EARTH WORK: EARTH FILLING IN PLINTH WITH APPROVED EARTH AVAILABLE FROM EXCAVATION AT SAME PLACE WITH COMPACTION	CM3	
6	EXCAVATION FOR FOUNDATION OF WALLS, COLUMNS, MACHINE, RAFTS AND BASEMENT, PLINTH BEAMS DUCTS, TRENCHES ETC. IN CORRECT DIMENSION IN ALL SORT OF SOILS LIKE BLACK, YELLOW, CLAYEY, SANDY, YELLOWISH BROWN CLAY, SOFT MURRUM, SOFT STONES INCLUDING LEVELING AND RAMMING THE BOTTOM OF TRENCHES, INCLUDING NECESSARY DEWATERING, IF REQUIRED AND REFILLING THE TRENCHES FOUNDATION PITS WITH SELECTED EXCAVATED EARTH UPTO ORIGINAL GROUND LEVEL IN LAYERS OF NOT MORE THEN 20 CM. ALSO INCLUDING WATERING AND CONSOLIDATING AND DEPOSING OR SPREADING THE EXCAVATED SURPLUS EARTH AS DIRECTED BY ARCHITECT / ENGINEER WITHIN 20 M ETC. COMPLETE AS DIRECTED. EARTH WORK: EARTH FILLING IN PLINTH WITH EARTH EXCAVATED FROM WITHIN THE SITE/PLOT PREMISES.THE RATE TO INCLUDE EXCAVATION, HANDLING,TRANSPORTATION, ETC WITH COMPACTION	CM3	
7	EXCAVATION FOR FOUNDATION OF WALLS, COLUMNS, MACHINE, RAFTS AND BASEMENT, PLINTH BEAMS DUCTS, TRENCHES ETC. IN CORRECT DIMENSION IN ALL SORT OF SOILS LIKE BLACK, YELLOW, CLAYEY, SANDY, YELLOWISH BROWN CLAY, SOFT MURRUM, SOFT STONES INCLUDING LEVELING AND RAMMING THE BOTTOM OF TRENCHES, INCLUDING NECESSARY DEWATERING, IF REQUIRED AND REFILLING THE TRENCHES FOUNDATION PITS WITH SELECTED EXCAVATED EARTH UPTO ORIGINAL GROUND LEVEL IN LAYERS OF NOT MORE THEN 20 CM. ALSO INCLUDING WATERING AND CONSOLIDATING AND DEPOSING OR SPREADING THE EXCAVATED SURPLUS EARTH AS DIRECTED BY ARCHITECT / ENGINEER WITHIN 20 M ETC. COMPLETE AS DIRECTED. EARTH WORK: EARTH FILLING IN PLINTH WITH APPROVED YELLOW EARTH BROUGHT FROM OUTSIDE SITE PREMISES INCLUDING EXCAVATION, HANDLING,TRANSPORTATION,ALL ETC WITH COMPACTION	CM3	

8	EXCAVATION FOR FOUNDATION OF WALLS, COLUMNS, MACHINE, RAFTS AND BASEMENT, PLINTH BEAMS DUCTS, TRENCHES ETC. IN CORRECT DIMENSION IN ALL SORT OF SOILS LIKE BLACK, YELLOW, CLAYEY, SANDY, YELLOWISH BROWN CLAY, SOFT MURRUM, SOFT STONES INCLUDING LEVELING AND RAMMING THE BOTTOM OF TRENCHES, INCLUDING NECESSARY DEWATERING, IF REQUIRED AND REFILLING THE TRENCHES FOUNDATION PITS WITH SELECTED EXCAVATED EARTH UPTO ORIGINAL GROUND LEVEL IN LAYERS OF NOT MORE THEN 20 CM. ALSO INCLUDING WATERING AND CONSOLIDATING AND DEPOSING OR SPREADING THE EXCAVATED SURPLUS EARTH AS DIRECTED BY ARCHITECT / ENGINEER WITHIN 20 M ETC. COMPLETE AS DIRECTED.	CM3	
9	EXCAVATION FOR FOUNDATION OF WALLS, COLUMNS, MACHINE, RAFTS AND BASEMENT, PLINTH BEAMS DUCTS, TRENCHES ETC. IN CORRECT DIMENSION IN ALL SORT OF SOILS LIKE BLACK, YELLOW, CLAYEY, SANDY, YELLOWISH BROWN CLAY, SOFT MURRUM, SOFT STONES INCLUDING LEVELING AND RAMMING THE BOTTOM OF TRENCHES, INCLUDING NECESSARY DEWATERING, IF REQUIRED AND REFILLING THE TRENCHES FOUNDATION PITS WITH SELECTED EXCAVATED EARTH UPTO ORIGINAL GROUND LEVEL IN LAYERS OF NOT MORE THEN 20 CM. ALSO INCLUDING WATERING AND CONSOLIDATING AND DEPOSING OR SPREADING THE EXCAVATED SURPLUS EARTH AS DIRECTED BY ARCHITECT / ENGINEER WITHIN 20 M ETC. COMPLETE AS DIRECTED. EARTH WORK: CARTING AWAY SURPLUS EXCAVATED EARTH & DEBRIS OF DISMANTLING ETC. OUTSIDE SITE/PLOT PREMISES AS DIRECTED LEAD UP TO 5 KM	CM3	
10	EXCAVATION FOR FOUNDATION OF WALLS, COLUMNS, MACHINE, RAFTS AND BASEMENT, PLINTH BEAMS DUCTS, TRENCHES ETC. IN CORRECT DIMENSION IN ALL SORT OF SOILS LIKE BLACK, YELLOW, CLAYEY, SANDY, YELLOWISH BROWN CLAY, SOFT MURRUM, SOFT STONES INCLUDING LEVELING AND RAMMING THE BOTTOM OF TRENCHES, INCLUDING NECESSARY DEWATERING, IF REQUIRED AND REFILLING THE TRENCHES FOUNDATION PITS WITH SELECTED EXCAVATED EARTH UPTO ORIGINAL GROUND LEVEL IN LAYERS OF NOT MORE THEN 20 CM. ALSO INCLUDING WATERING AND CONSOLIDATING AND DEPOSING OR SPREADING THE EXCAVATED SURPLUS EARTH AS DIRECTED BY ARCHITECT / ENGINEER WITHIN 20 M ETC. COMPLETE AS DIRECTED. EARTH WORK: PROVIDING & LAYING SAND FOR PLINTH / TRENCHES.	CM3	
11	EXCAVATION FOR FOUNDATION OF WALLS, COLUMNS, MACHINE, RAFTS AND BASEMENT, PLINTH BEAMS DUCTS, TRENCHES ETC. IN CORRECT DIMENSION IN ALL SORT OF SOILS LIKE BLACK, YELLOW, CLAYEY, SANDY, YELLOWISH BROWN CLAY, SOFT MURRUM, SOFT STONES INCLUDING LEVELING AND RAMMING THE BOTTOM OF TRENCHES, INCLUDING NECESSARY DEWATERING, IF REQUIRED AND REFILLING THE TRENCHES FOUNDATION PITS WITH SELECTED EXCAVATED EARTH UPTO ORIGINAL GROUND LEVEL IN LAYERS OF NOT MORE THEN 20 CM. ALSO INCLUDING WATERING AND CONSOLIDATING AND DEPOSING OR SPREADING THE EXCAVATED SURPLUS EARTH AS DIRECTED BY ARCHITECT / ENGINEER WITHIN 20 M ETC. COMPLETE AS DIRECTED. EARTH WORK: PROVIDING & LAYING 20MM COARSE AGGREGATE FILLING INCLUDING ROLLING.	CM3	

12	EXCAVATION FOR FOUNDATION OF WALLS, COLUMNS, MACHINE, RAFTS AND BASEMENT, PLINTH BEAMS DUCTS, TRENCHES ETC. IN CORRECT DIMENSION IN ALL SORT OF SOILS LIKE BLACK, YELLOW, CLAYEY, SANDY, YELLOWISH BROWN CLAY, SOFT MURRUM, SOFT STONES INCLUDING LEVELING AND RAMMING THE BOTTOM OF TRENCHES, INCLUDING NECESSARY DEWATERING, IF REQUIRED AND REFILLING THE TRENCHES FOUNDATION PITS WITH SELECTED EXCAVATED EARTH UPTO ORIGINAL GROUND LEVEL IN LAYERS OF NOT MORE THEN 20 CM. ALSO INCLUDING WATERING AND CONSOLIDATING AND DEPOSING OR SPREADING THE EXCAVATED SURPLUS EARTH AS DIRECTED BY ARCHITECT / ENGINEER WITHIN 20 M ETC. COMPLETE AS DIRECTED. EARTH WORK: PROVIDING & LAYING 20MM METAL SOILLING FILLING INCLUDING ROLLING.	CM3	
13	EXCAVATION FOR FOUNDATION OF WALLS, COLUMNS, MACHINE, RAFTS AND BASEMENT, PLINTH BEAMS DUCTS, TRENCHES ETC. IN CORRECT DIMENSION IN ALL SORT OF SOILS LIKE BLACK, YELLOW, CLAYEY, SANDY, YELLOWISH BROWN CLAY, SOFT MURRUM, SOFT STONES INCLUDING LEVELING AND RAMMING THE BOTTOM OF TRENCHES, INCLUDING NECESSARY DEWATERING, IF REQUIRED AND REFILLING THE TRENCHES FOUNDATION PITS WITH SELECTED EXCAVATED EARTH UPTO ORIGINAL GROUND LEVEL IN LAYERS OF NOT MORE THEN 20 CM. ALSO INCLUDING WATERING AND CONSOLIDATING AND DEPOSING OR SPREADING THE EXCAVATED SURPLUS EARTH AS DIRECTED BY ARCHITECT / ENGINEER WITHIN 20 M ETC. COMPLETE AS DIRECTED. EARTH WORK: SUPPLYING, STACKING, LAYING OF 230 MM THICK RUBBLE SOLING.	SQM	
14	EXCAVATION FOR FOUNDATION OF WALLS, COLUMNS, MACHINE, RAFTS AND BASEMENT, PLINTH BEAMS DUCTS, TRENCHES ETC. IN CORRECT DIMENSION IN ALL SORT OF SOILS LIKE BLACK, YELLOW, CLAYEY, SANDY, YELLOWISH BROWN CLAY, SOFT MURRUM, SOFT STONES INCLUDING LEVELING AND RAMMING THE BOTTOM OF TRENCHES, INCLUDING NECESSARY DEWATERING, IF REQUIRED AND REFILLING THE TRENCHES FOUNDATION PITS WITH SELECTED EXCAVATED EARTH UPTO ORIGINAL GROUND LEVEL IN LAYERS OF NOT MORE THEN 20 CM. ALSO INCLUDING WATERING AND CONSOLIDATING AND DEPOSING OR SPREADING THE EXCAVATED SURPLUS EARTH AS DIRECTED BY ARCHITECT / ENGINEER WITHIN 20 M ETC. COMPLETE AS DIRECTED. EARTH WORK: PROVIDING & LAYING BRICK SOILING ON EDGE 115 MM THK.	SQM	
15	EXCAVATION FOR FOUNDATION OF WALLS, COLUMNS, MACHINE, RAFTS AND BASEMENT, PLINTH BEAMS DUCTS, TRENCHES ETC. IN CORRECT DIMENSION IN ALL SORT OF SOILS LIKE BLACK, YELLOW, CLAYEY, SANDY, YELLOWISH BROWN CLAY, SOFT MURRUM, SOFT STONES INCLUDING LEVELING AND RAMMING THE BOTTOM OF TRENCHES, INCLUDING NECESSARY DEWATERING, IF REQUIRED AND REFILLING THE TRENCHES FOUNDATION PITS WITH SELECTED EXCAVATED EARTH UPTO ORIGINAL GROUND LEVEL IN LAYERS OF NOT MORE THEN 20 CM. ALSO INCLUDING WATERING AND CONSOLIDATING AND DEPOSING OR SPREADING THE EXCAVATED SURPLUS EARTH AS DIRECTED BY ARCHITECT / ENGINEER WITHIN 20 M ETC. COMPLETE AS DIRECTED. EARTH WORK: PROVIDING & LAYING BRICK SOILING ON FLAT 75 MM THK.	SQM	

16	EXCAVATION FOR FOUNDATION OF WALLS, COLUMNS, MACHINE, RAFTS AND BASEMENT, PLINTH BEAMS DUCTS, TRENCHES ETC. IN CORRECT DIMENSION IN ALL SORT OF SOILS LIKE BLACK, YELLOW, CLAYEY, SANDY, YELLOWISH BROWN CLAY, SOFT MURRUM, SOFT STONES INCLUDING LEVELING AND RAMMING THE BOTTOM OF TRENCHES, INCLUDING NECESSARY DEWATERING, IF REQUIRED AND REFILLING THE TRENCHES FOUNDATION PITS WITH SELECTED EXCAVATED EARTH UPTO ORIGINAL GROUND LEVEL IN LAYERS OF NOT MORE THEN 20 CM. ALSO INCLUDING WATERING AND CONSOLIDATING AND DEPOSING OR SPREADING THE EXCAVATED SURPLUS EARTH AS DIRECTED BY ARCHITECT / ENGINEER WITHIN 20 M ETC. COMPLETE AS DIRECTED. EARTH WORK: PROVIDING & LAYING PRE-CONSTRUCTION ANTI-TERMITE TREATMENT AS PER IS 6313 PART - II-1971.	CM3	
17	EXCAVATION FOR FOUNDATION OF WALLS, COLUMNS, MACHINE, RAFTS AND BASEMENT, PLINTH BEAMS DUCTS, TRENCHES ETC. IN CORRECT DIMENSION IN ALL SORT OF SOILS LIKE BLACK, YELLOW, CLAYEY, SANDY, YELLOWISH BROWN CLAY, SOFT MURRUM, SOFT STONES INCLUDING LEVELING AND RAMMING THE BOTTOM OF TRENCHES, INCLUDING NECESSARY DEWATERING, IF REQUIRED AND REFILLING THE TRENCHES FOUNDATION PITS WITH SELECTED EXCAVATED EARTH UPTO ORIGINAL GROUND LEVEL IN LAYERS OF NOT MORE THEN 20 CM. ALSO INCLUDING WATERING AND CONSOLIDATING AND DEPOSING OR SPREADING THE EXCAVATED SURPLUS EARTH AS DIRECTED BY ARCHITECT / ENGINEER WITHIN 20 M ETC. COMPLETE AS DIRECTED. EARTH WORK: PROVIDING AND LAYING BRICK BATS OF 38 MM TO 50 MM SIZE.	CM3	
18	EXCAVATION FOR FOUNDATION OF WALLS, COLUMNS, MACHINE, RAFTS AND BASEMENT, PLINTH BEAMS DUCTS, TRENCHES ETC. IN CORRECT DIMENSION IN ALL SORT OF SOILS LIKE BLACK, YELLOW, CLAYEY, SANDY, YELLOWISH BROWN CLAY, SOFT MURRUM, SOFT STONES INCLUDING LEVELING AND RAMMING THE BOTTOM OF TRENCHES, INCLUDING NECESSARY DEWATERING, IF REQUIRED AND REFILLING THE TRENCHES FOUNDATION PITS WITH SELECTED EXCAVATED EARTH UPTO ORIGINAL GROUND LEVEL IN LAYERS OF NOT MORE THEN 20 CM. ALSO INCLUDING WATERING AND CONSOLIDATING AND DEPOSING OR SPREADING THE EXCAVATED SURPLUS EARTH AS DIRECTED BY ARCHITECT / ENGINEER WITHIN 20 M ETC. COMPLETE AS DIRECTED. EARTH WORK: EARTH FILLING IN PLINTH & PLINTH PROTECTION CONSIDERING ONE TRIP OF TRACTOR	NOS	
19	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC. CONCRETE WORK: PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS CONCRETE IN PROPORTION 1:4:8 (ONE PART OF CEMENT + FOUR PARTS OF SAND + EIGHT PARTS	CM3	
20	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC. CONCRETE WORK: PROVIDING AND LAYING MACHINE MIXED, VIBRATED PLAIN CEMENT CONCRETE MACHINE CRUSHED BLACK TRAP METAL IN PROPORTION 1:4:8 & 100MM THICK	SQM	
21	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC. CONCRETE	CM3	

	WORK: PROVIDING AND LAYING MACHINE MIXED, VIBRATED PLAIN CEMENT CONCRETE MACHINE CRUSHED BLACK TRAP METAL BUT ABOVE 100MM THICK		
22	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC. CONCRETE WORK: PROVIDING AND LAYING MACHINE MIXED, VIBRATED PLAIN CEMENT CONCRETE MACHINE CRUSHED BLACK TRAP METAL IN PROPORTION 1:3:6 & 100MM THICK	SQM	
23	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC. CONCRETE WORK: PROVIDING AND LAYING MACHINE MIXED, VIBRATED PLAIN CEMENT CONCRETE MACHINE CRUSHED BLACK TRAP METAL BUT ABOVE 100MM THICK	CM3	
24	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC. CONCRETE WORK: P&L MACHINE MIXED, VIBRATED WATERTIGHT CONTROLLED REINFORCED CEMENT CONCRETE 20MM & SMALLER SIZE MACHINE CRUSHED, PROPORTION 1:2:4 T PLINT	CM3	
25	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC. CONCRETE WORK: P&L MACHINE MIXED, VIBRATED WATERTIGHT CONTROLLED R.C.C. USING 20MM & SMALLER SIZE MACHINE CRUSH BLACK FOR 1:2:4 IN SUPER STRUCTURE TO 6MTR	M3	
26	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC. CONCRETE WORK: P&L MACHINE MIXED, VIBRATED WATERTIGHT CONTROLLED REINFORCED CEMENT CONCRETE 20MM & SMALLER SIZE MACHINE CRUSHED FOR M20 GRADE	CM3	
27	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC. CONCRETE WORK: P&L MACHINE MIXED, VIBRATED WATERTIGHT CONTROLLED R.C.C. USING 20MM & SMALLER SIZE MACHINE CRUSH BLACK METAL FOR M20 GRADE IN SUPER STRUCTURE TO 6MTR	M3	
28	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC. CONCRETE WORK: P&L MACHINE MIXED, VIBRATED WATERTIGHT CONTROLLED R.C.C USING 20MM & SMALLER SIZE MACHINE CRUSH BLACK METAL FOR FOR M20 GRADE IN S.S 6MTR TO 12MT	CM3	

29	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC. CONCRETE WORK:P&L MACHINE MIXED, VIBRATED WATERTIGHT CONTROLLED R.C.C USING 20MM & SMALLER SIZE MACHINE CRUSH BLACK METAL FOR FOR M20 GRADE IN S.S 12MTR & ABOVE	CM3	
30	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC.CONCRETE WORK: P&L MACHINE MIXED, VIBRATED WATERTIGHT CONTROLLED REINFORCED CEMENT CONCRETE 20MM &SMALLER SIZE MACHINE CRUSHED FOR M25 GRADE	CM3	
31	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC.CONCRETE WORK: P&L MACHINE MIXED,VIBRATED WATERTIGHT CONTROLLED R.C.C.USING 20MM & SMALLER SIZE MACHINE CRUSH BLACK METAL FOR M25 GRADE IN SUPER STRUCTURE TO 6MTR	CM3	
32	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC.CONCRETE WORK:P&L MACHINE MIXED,VIBRATED WATERTIGHT CONTROLLED R.C.C USING 20MM & SMALLER SIZE MACHINE CRUSH BLACK METAL FOR FOR M25 GRADE IN S.S 6MTR TO 12MT	CM3	
33	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC. CONCRETE WORK:P&L MACHINE MIXED, VIBRATED WATERTIGHT CONTROLLED R.C.C USING 20MM & SMALLER SIZE MACHINE CRUSH BLACK METAL FOR FOR M25 GRADE IN S.S 12MTR & ABOVE	CM3	
34	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC. CONCRETE WORK: P&L MACHINE MIXED, VIBRATED PLAIN CEMENT CONCRETE WITH 30 MM TO 40 MM SIZE MACHINE CRUSHED BLACK METAL FOR PROPORTION 1:2:4	CM3	
35	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC. CONCRETE WORK: P&L MACHINE MIXED, VIBRATED PLAIN CEMENT CONCRETE WITH 30MM TO 40MM SIZE MACHINE CRUSH BLACK METAL BUT EXTRA FOR M20 GRADE CONCRETE1:1.1	CM3	
36	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC. CONCRETE WORK:S&M WITH CEMENT FOR C.C FLOORING CEMENTMORTAR FOR PLASTER, WATERPROOFING COMP. FOR PEDILITE MAKE CHEMICAL WATERPROOFING IN 200ML/BAG CEME	LTR	

37	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC. CONCRETE WORK: P, L & KEEPING IN POSITION PRECAST CEMENT CONCRETE SLAB FOR SHELVES, TRENCH COVER, PIT COVER ETC. OF SIZE 50 MM TO 150 M FOR M15 GRADE	CM3	
38	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC. CONCRETE WORK: P, L & KEEPING IN POSITION PRECAST CEMENT CONCRETE SLAB FOR SHELVES, TRENCH COVER, PIT COVER ETC. OF SIZE 50 MM TO 150 M FOR M20 GRADE	CM3	
39	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC. CONCRETE WORK:P&F(ALSO DESHUTTERING) CENTERING&SHUTTERING FOR R.C.C MEMBERS IN FOUNDATION & PLINTH UPTO PLINTHLEVEL FOR FOOTING COLUMN COPING&GND, ETC.	SQM	
40	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC. CONCRETE WORK:P&F(ALSO DESHUTTERING) CENTERING & SHUTTERING FOR R.C.C MEMBERS FOR COLUMNS, LINTELS, CHAJJAS, WALLS, SLAB, CANOPY, ETC. S. S. UPTO 6 MTR HT	SQM	
41	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC. CONCRETE WORK: P&F(ALSO DESHUTTERING) CENTERING & SHUTTERING FOR R.C.C MEMBERS FOR COLUMNS, LINTELS, CHAJJAS, WALLS, SLAB, CANOPY, S.S. FOR 6 TO 12 MTR HT.	SQM	
42	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC. CONCRETE WORK:P&F(ALSO DESHUTTERING) CENTERING & SHUTTERING FOR R.C.C MEMBERS FOR COLUMNS, LINTELS, CHAJJAS, WALLS, SLAB, CANOPY, S.S. FOR 12MTR TO 15MTR HT	SQM	
43	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC. CONCRETE WORK:P&F(ALSO DESH.) CENTERING & SHUTTERING FOR R.C.C MEMBERS IN FOUNDATIONS & PLINTH UPTO PLINTH LEVEL. FOR PARDI IN SUPER STRUCTURE FOR 6MTR	SQM	
44	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC. CONCRETE WORK:P&F(ALSO DESHUT.) CENTERING & SHUTTERING FOR R.C.C MEMBERS IN FOUNDATIONS & PLINTH UPTO PLINTH LEVEL. FOR PARDI IN S.S. FOR 6 TO 12 MTR.HT	SQM	

45	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC.CONCRETE WORK: EXTRA, OVER&ITEM NO.15 FOR PROVIDING DOUBLE STAGING AT ALL LEVEL FOR HT.OFSHUT. EXCEEDING 4MTR & TO SUPPORT THE FRAMEWORK FOR ALL RCC WO	SQM	
46	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC.CONCRETE WORK:P,FABR.&L MACHINEMIXED,VIBRATEDPLAIN C.C MACHINE CRUSHED BLACK METAL FOR MILD STEEL BAR CONFIRINGTO IS432-1966 MINIMUM YEILD ST.260 N/SQ	KGS	
47	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC.CONCRETE WORK: P,FABR.&L M.MIXED,VIBRATED PLAIN C.C. MACHINE CRUSHED FOR HYSYD BAR(TOR STEEL)CONFIRING TO IS-1786-1966 WITH MUM YEILD 425N/SQMM FOR ALL	KGS	
48	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC. CONCRETE WORK: EXTRA FOR APPLYING TRIMIX TREATMENT TO CONCRET WORKS IN FLOOR, ROAD ETC. INCLUDE.VACCUM CONSOLIDATION, DEWATERING & POLISHING ETC.COMPLET	SQM	
49	PROVIDING AND LAYING MACHINE MIXED PLAIN BRICK BATS (SIZE OF BRICK BATS 38MM TO 50 MM) CEMENT CONCRETE AT ALL DEPTHS AND LEVELS INCLUDING WATERING, LEVELING, CONSOLIDATING, CURING ETC. CONCRETE WORK: GROOVE CUTTING IN RCC WORKS/ROADS, INCLUDING POLYSULPHIDE SEALANT FLOOR GRADE FILLING TO GROOVE CUTTING.	RMT	
50	BRICK MASONARY WORK: PROVIDING AND CONSTRUCTING BRICK MASONARY IN C:M 1:6 WITH GOOD QUALITY APPROVED BRICK AS PER DRAWING IN TRUE LINE, LEVEL AND PLUMB WITH NECESSARY SCAFFOLDING, RACKING OUT JOINTS UPTO 15MM DEEP RUBBING AND CLEANING THE SURFACE, CURING ETC. COMPLETE AS DIRECTED ANS SPECIFIED. BRICK MASONARY WORK: P & C BRICK MASONARY IN C:M 1:6 FOR WALL FOUNDATIONS, TRENCHES, COLUMNS, COMPOUND WALL, MACHINE FOUNDATIONS ETC. UPTO PLINTH LEVEL	CM3	
51	BRICK MASONARY WORK: PROVIDING AND CONSTRUCTING BRICK MASONARY IN C:M 1:6 WITH GOOD QUALITY APPROVED BRICK AS PER DRAWING IN TRUE LINE, LEVEL AND PLUMB WITH NECESSARY SCAFFOLDING, RACKING OUT JOINTS UPTO 15MM DEEP RUBBING AND CLEANING THE SURFACE, CURING ETC. COMPLETE AS DIRECTED ANS SPECIFIED. BRICK MASONARY WORK: P&C BRICK MASONARY IN C:M 1:6 FOR WALL, PARAPET, GALABIDS, LOAD WALL ETC.COMPLET FOR S.S.UPTO PLINTH 6 MTR HT PARAPET,STAIR,CABIN &	CM3	
52	BRICK MASONARY WORK : PROVIDING AND CONSTRUCTING BRICK MASONARY IN C:M 1:6 WITH GOOD QUALITY APPROVED BRICK AS PER DRAWING IN TRUE LINE, LEVEL AND PLUMB WITH NECESSARY SCAFFOLDING, RACKING OUT JOINTS UPTO 15MM DEEP RUBBING AND CLEANING THE SURFACE, CURING ETC. COMPLETE AS DIRECTED ANS SPECIFIED. BRICK MASONARY WORK: P&C BRICK	CM3	

	MASONARY IN C:M 1:6 FOR WALL, PARAPET, GALABIDS, LOAD WALL ETC. COMPLETE FOR S.S. 6 TO 12 MTR HT. PARAPET, STAIR, CABINS &ALL		
53	BRICK MASONARY WORK : PROVIDING AND CONSTRUCTING BRICK MASONARY IN C:M 1:6 WITH GOOD QUALITY APPROVED BRICK AS PER DRAWING IN TRUE LINE, LEVEL AND PLUMB WITH NECESSARY SCAFFOLDING , RACKING OUT JOINTS UPTO 15MM DEEP RUBBING AND CLEANING THE SURFACE, CURING ETC. COMPLETE AS DIRECTED ANS SPECIFIED BRICK MASONARY WORK: P&C BRICK MASONARY IN C:M 1:6 FOR WALL,PARAPET,GALABIDS,LOAD WALL ETC. COMPLETE FOR S.S. 12 MTR AND ABOVE. PARAPET,STAIR,CABINS &ALL	CM3	
54	BRICK MASONARY WORK : PROVIDING AND CONSTRUCTING BRICK MASONARY IN C:M 1:6 WITH GOOD QUALITY APPROVED BRICK AS PER DRAWING IN TRUE LINE, LEVEL AND PLUMB WITH NECESSARY SCAFFOLDING , RACKING OUT JOINTS UPTO 15MM DEEP RUBBING AND CLEANING THE SURFACE, CURING ETC. COMPLETE AS DIRECTED ANS SPECIFIED. BRICK MASONARY WORK:PROVIDING AND CONSTRUCTING BRICK MASONARY IN C:M 1:6 FOR 230 MM THK BRICK MASONARY UP TO PLINTH LEVEL	SQM	
55	BRICK MASONARY WORK : PROVIDING AND CONSTRUCTING BRICK MASONARY IN C:M 1:6 WITH GOOD QUALITY APPROVED BRICK AS PER DRAWING IN TRUE LINE, LEVEL AND PLUMB WITH NECESSARY SCAFFOLDING , RACKING OUT JOINTS UPTO 15MM DEEP RUBBING AND CLEANING THE SURFACE, CURING ETC. COMPLETE AS DIRECTED ANS SPECIFIED. BRICK MASONARY WORK: PROVIDING AND CONSTRUCTING BRICK MASONARY IN C:M 1:6 FOR 230 MM THK BRICK MASONARY IN SUPER STRUCTURE FROM P.L. TO 6.0 MTR HT	SQM	
56	BRICK MASONARY WORK : PROVIDING AND CONSTRUCTING BRICK MASONARY IN C:M 1:6 WITH GOOD QUALITY APPROVED BRICK AS PER DRAWING IN TRUE LINE, LEVEL AND PLUMB WITH NECESSARY SCAFFOLDING , RACKING OUT JOINTS UPTO 15MM DEEP RUBBING AND CLEANING THE SURFACE, CURING ETC. COMPLETE AS DIRECTED ANS SPECIFIED. BRICK MASONARY WORK: PROVIDING AND CONSTRUCTING BRICK MASONARY IN C:M 1:6 FOR 230 MM THK BRICK MASONARY IN SUPER STRUCTURE FROM 6.0 MTR TO 12.0 MTR	SQM	
57	BRICK MASONARY WORK : PROVIDING AND CONSTRUCTING BRICK MASONARY IN C:M 1:6 WITH GOOD QUALITY APPROVED BRICK AS PER DRAWING IN TRUE LINE, LEVEL AND PLUMB WITH NECESSARY SCAFFOLDING , RACKING OUT JOINTS UPTO 15MM DEEP RUBBING AND CLEANING THE SURFACE, CURING ETC. COMPLETE AS DIRECTED ANS SPECIFIED.BRICK MASONARY WORK: PROVIDING AND CONSTRUCTING BRICK MASONARY IN C:M 1:6 FOR 230 MM THK BRICK MASONARY IN SUPER STRUCTURE FROM 12.0 MTR & ABOVE	SQM	
58	BRICK MASONARY WORK : PROVIDING AND CONSTRUCTING BRICK MASONARY IN C:M 1:6 WITH GOOD QUALITY APPROVED BRICK AS PER DRAWING IN TRUE LINE, LEVEL AND PLUMB WITH NECESSARY SCAFFOLDING, RACKING OUT JOINTS UPTO 15MM DEEP RUBBING AND CLEANING THE SURFACE, CURING ETC. COMPLETE AS DIRECTED ANS SPECIFIED. BRICK MASONARY WORK: P&C115 MM THK BRICK PARTITION WALL INCLUDING PARAPETS FOR S.S.IN C:M 1:4 FOR ALL LEVELS & FOR ALL LEVELS & ALL HTS UPTO PLINTH LE	SQM	

59	BRICK MASONRY WORK : PROVIDING AND CONSTRUCTING BRICK MASONRY IN C:M 1:6 WITH GOOD QUALITY APPROVED BRICK AS PER DRAWING IN TRUE LINE, LEVEL AND PLUMB WITH NECESSARY SCAFFOLDING , RACKING OUT JOINTS UPTO 15MM DEEP RUBBING AND CLEANING THE SURFACE, CURING ETC. COMPLETE AS DIRECTED ANS SPECIFIED. BRICK MASONRY WORK: P&C 115 MM THK BRICK PARTITION WALL INCLUDING PARAPETS FOR SUPER STRUCTURE IN C:M 1:4 FOR SUPER STRUCTURE UPTO 6.0 MTR HT.	SQM	
60	BRICK MASONRY WORK : PROVIDING AND CONSTRUCTING BRICK MASONRY IN C:M 1:6 WITH GOOD QUALITY APPROVED BRICK AS PER DRAWING IN TRUE LINE, LEVEL AND PLUMB WITH NECESSARY SCAFFOLDING , RACKING OUT JOINTS UPTO 15MM DEEP RUBBING AND CLEANING THE SURFACE, CURING ETC. COMPLETE AS DIRECTED ANS SPECIFIED. BRICK MASONRY WORK: PROVIDING AND CONSTRUCTING 115 MM THK BRICK PARTITION WALL INCLUDING PARAPETS FOR SUPER STRUCTURE IN C:M 1:4 FOR 6.0 TO 12.0 MTR	SQM	
61	BRICK MASONRY WORK : PROVIDING AND CONSTRUCTING BRICK MASONRY IN C:M 1:6 WITH GOOD QUALITY APPROVED BRICK AS PER DRAWING IN TRUE LINE, LEVEL AND PLUMB WITH NECESSARY SCAFFOLDING , RACKING OUT JOINTS UPTO 15MM DEEP RUBBING AND CLEANING THE SURFACE, CURING ETC. COMPLETE AS DIRECTED ANS SPECIFIED. BRICK MASONRY WORK: PROVIDING AND CONSTRUCTING 115 MM THK BRICK PARTITION WALL INCLUDING PARAPETS FOR SUPER STRUCTURE IN C:M 1:4 FOR 12.0 & ABOVE	SQM	
62	BRICK MASONRY WORK: PROVIDING AND CONSTRUCTING BRICK MASONRY IN C:M 1:6 WITH GOOD QUALITY APPROVED BRICK AS PER DRAWING IN TRUE LINE, LEVEL AND PLUMB WITH NECESSARY SCAFFOLDING, RACKING OUT JOINTS UPTO 15MM DEEP RUBBING AND CLEANING THE SURFACE, CURING ETC. COMPLETE AS DIRECTED ANS SPECIFIED. BRICK MASONRY WORK: PROVIDING AND CONSTRUCTING 75 MM THK. REINFORCED BRICK PARDI IN C: M. (1:2) AS PER ITEM NO.3.00	SQM	
63	BRICK MASONRY WORK: PROVIDING AND CONSTRUCTING BRICK MASONRY IN C:M 1:6 WITH GOOD QUALITY APPROVED BRICK AS PER DRAWING IN TRUE LINE, LEVEL AND PLUMB WITH NECESSARY SCAFFOLDING, RACKING OUT JOINTS UPTO 15MM DEEP RUBBING AND CLEANING THE SURFACE, CURING ETC. COMPLETE AS DIRECTED ANS SPECIFIED. BRICK MASONRY WORK: PROVIDING AND LAYING HONEYCOMB BRICK MASONRY FOR SOAKWELL IN CEMENT MORTAR 1:6 FOR 230 MM THK WALL.	SQM	
64	PLASTER WORK: PROVIDING AND LAYING SMOOTH CEMENT PLASTER WITH CEMENT MORTAR IN PROPORTION 1:4 TO ALL TYPE OF BIG OR SMALL R.C.C WORK / BRICK WORK / STONWORK SURFACES AT ALL LEVELS AND IN ANY SHAPE INCLUDING RACKING THE JOINTS OR ROUGHENING THE R.C.C SURFACES. WETTING THE SURFACES BEFORE PLASTERING INCLUDING NORMAL PATT A GROVES. DRIP MOULDS ETC. INCLUDING NECESSARY SCAFFOLDING CURING ETC. COMPLETE AS DIRECTED ANS SPECIFIED.PLASTER WORK: P & L SMOOTH CEMENT PLASTER WITH CEMENT MORTAR IN PROPORTION 1:4 FOR 12 TO 15MM THK WITH CEMENT FINISH. UPTO 6.0 MTR.HT	SQM	

65	PLASTER WORK: PROVIDING AND LAYING SMOOTH CEMENT PLASTER WITH CEMENT MORTAR IN PROPORTION 1:4 TO ALL TYPE OF BIG OR SMALL R.C.C WORK / BRICK WORK / STONework SURFACES AT ALL LEVELS AND IN ANY SHAPE INCLUDING RACKING THE JOINTS OR ROUGHENING THE R.C.C SURFACES. WETTING THE SURFACES BEFORE PLASTERING INCLUDING NORMAL PATTA GROVES. DRIP MOULDS ETC. INCLUDING NECESSARY SCAFFOLDING CURING ETC. COMPLETE AS DIRECTED ANS SPECIFIED.PLASTER WORK: P & L SMOOTH CEMENT PLASTER WITH CEMENT MORTAR IN PROPORTION 1:4 WITH CEMENT FINISH FROM 6.0 TO 12 MTR HT	SQM	
66	PLASTER WORK: PROVIDING AND LAYING SMOOTH CEMENT PLASTER WITH CEMENT MORTAR IN PROPORTION 1:4 TO ALL TYPE OF BIG OR SMALL R.C.C WORK / BRICK WORK / STONework SURFACES AT ALL LEVELS AND IN ANY SHAPE INCLUDING RACKING THE JOINTS OR ROUGHENING THE R.C.C SURFACES. WETTING THE SURFACES BEFORE PLASTERING INCLUDING NORMAL PATTA GROVES. DRIP MOULDS ETC. INCLUDING NECESSARY SCAFFOLDING CURING ETC. COMPLETE AS DIRECTED ANS SPECIFIED.PLASTER WORK: P & L SMOOTH CEMENT PLASTER WITH CEMENT MORTAR IN PROPORTION 1:4 WITH CEMENT FINISH FROM ABOVE 12.0 MTR	SQM	
67	PLASTER WORK: PROVIDING AND LAYING SMOOTH CEMENT PLASTER WITH CEMENT MORTAR IN PROPORTION 1:4 TO ALL TYPE OF BIG OR SMALL R.C.C WORK / BRICK WORK / STONework SURFACES AT ALL LEVELS AND IN ANY SHAPE INCLUDING RACKING THE JOINTS OR ROUGHENING THE R.C.C SURFACES. WETTING THE SURFACES BEFORE PLASTERING INCLUDING NORMAL PATTA GROVES. DRIP MOULDS ETC. INCLUDING NECESSARY SCAFFOLDING CURING ETC. COMPLETE AS DIRECTED ANS SPECIFIED.PLASTER WORK: P & L SMOOTH CEMENT PLASTER WITH CEMENT MORTAR IN PROPORTION 1:4 FOR 20 MM THK WITH CEMENT PLASTER UP TO 6.0 MTR. HT	SQM	
68	PLASTER WORK: PROVIDING AND LAYING SMOOTH CEMENT PLASTER WITH CEMENT MORTAR IN PROPORTION 1:4 TO ALL TYPE OF BIG OR SMALL R.C.C WORK / BRICK WORK / STONework SURFACES AT ALL LEVELS AND IN ANY SHAPE INCLUDING RACKING THE JOINTS OR ROUGHENING THE R.C.C SURFACES. WETTING THE SURFACES BEFORE PLASTERING INCLUDING NORMAL PATTA GROVES. DRIP MOULDS ETC. INCLUDING NECESSARY SCAFFOLDING CURING ETC. COMPLETE AS DIRECTED ANS SPECIFIED.PLASTER WORK: P & L SMOOTH CEMENT PLASTER WITH CEMENT MORTAR IN PROPORTION 1:4 FOR 20 MM THK WITH CEMENT PLASTER TO 6.0 TO 12.00MTR. HT	SQM	
69	PLASTER WORK: PROVIDING AND LAYING SMOOTH CEMENT PLASTER WITH CEMENT MORTAR IN PROPORTION 1:4 TO ALL TYPE OF BIG OR SMALL R.C.C WORK / BRICK WORK / STONework SURFACES AT ALL LEVELS AND IN ANY SHAPE INCLUDING RACKING THE JOINTS OR ROUGHENING THE R.C.C SURFACES. WETTING THE SURFACES BEFORE PLASTERING INCLUDING NORMAL PATTA GROVES. DRIP MOULDS ETC. INCLUDING NECESSARY SCAFFOLDING CURING ETC. COMPLETE AS DIRECTED ANS SPECIFIED.PLASTER WORK: P & L SMOOTH CEMENT PLASTER WITH CEMENT MORTAR IN PROPORTION 1:4 FOR 20 MM THK WITH CEMENT PLASTER ABOVE 12.00MTR. HT	SQM	

70	PLASTER WORK: PROVIDING AND LAYING SMOOTH CEMENT PLASTER WITH CEMENT MORTAR IN PROPORTION 1:4 TO ALL TYPE OF BIG OR SMALL R.C.C WORK / BRICK WORK / STONework SURFACES AT ALL LEVELS AND IN ANY SHAPE INCLUDING RACKING THE JOINTS OR ROUGHENING THE R.C.C SURFACES. WETTING THE SURFACES BEFORE PLASTERING INCLUDING NORMAL PATTa GROVES. DRIP MOULDS ETC. INCLUDING NECESSARY SCAFFOLDING CURING ETC. COMPLETE AS DIRECTED ANS SPECIFIED.PLASTER WORK:P&L 20MMTHK SAND FACE PLASTER WITH 2COATS IN PROPORTION 1:4 FOR 1STCOAT FOR 12TO15MM THK &C.M:1:2 FOR 2ND COAT OF BALANCE THK.UPTO 6MTR H	SQM	
71	PLASTER WORK: PROVIDING AND LAYING SMOOTH CEMENT PLASTER WITH CEMENT MORTAR IN PROPORTION 1:4 TO ALL TYPE OF BIG OR SMALL R.C.C WORK / BRICK WORK / STONework SURFACES AT ALL LEVELS AND IN ANY SHAPE INCLUDING RACKING THE JOINTS OR ROUGHENING THE R.C.C SURFACES. WETTING THE SURFACES BEFORE PLASTERING INCLUDING NORMAL PATTa GROVES. DRIP MOULDS ETC. INCLUDING NECESSARY SCAFFOLDING CURING ETC. COMPLETE AS DIRECTED ANS SPECIFIED.PLASTER WORK:P&L 20MMTHK SAND FACE PLASTER WITH 2 COATS IN PROPORTION 1:4 FOR 1ST COAT FOR 12TO15MMTHK &C.M.1:2 FOR 2ND COAT OF BALANCE THK.TO 6 MTR TO 12 HT	SQM	
72	PLASTER WORK: PROVIDING AND LAYING SMOOTH CEMENT PLASTER WITH CEMENT MORTAR IN PROPORTION 1:4 TO ALL TYPE OF BIG OR SMALL R.C.C WORK / BRICK WORK / STONework SURFACES AT ALL LEVELS AND IN ANY SHAPE INCLUDING RACKING THE JOINTS OR ROUGHENING THE R.C.C SURFACES. WETTING THE SURFACES BEFORE PLASTERING INCLUDING NORMAL PATTa GROVES. DRIP MOULDS ETC. INCLUDING NECESSARY SCAFFOLDING CURING ETC. COMPLETE AS DIRECTED ANS SPECIFIED.PLASTER WORK:P&L 20MMTHK SAND FACE PLASTER WITH 2 COATS IN PROPORTION 1:4 FOR 1ST COAT FOR 12TO15MMTHK &C.M.1:2 FOR 2ND COAT OF BALANCE THK.ABOVE 12 MTR. HT	SQM	
73	PLASTER WORK: PROVIDING AND LAYING SMOOTH CEMENT PLASTER WITH CEMENT MORTAR IN PROPORTION 1:4 TO ALL TYPE OF BIG OR SMALL R.C.C WORK / BRICK WORK / STONework SURFACES AT ALL LEVELS AND IN ANY SHAPE INCLUDING RACKING THE JOINTS OR ROUGHENING THE R.C.C SURFACES. WETTING THE SURFACES BEFORE PLASTERING INCLUDING NORMAL PATTa GROVES. DRIP MOULDS ETC. INCLUDING NECESSARY SCAFFOLDING CURING ETC. COMPLETE AS DIRECTED ANS SPECIFIED.PLASTER WORK: P&L FLUSH POINTING IN C:M 1:1 IN ANY TYPE OF B.W INCLUDING DEEPENING THE GROOVES TO 12MM DTH, MAKING THE POINTING IN LINES, RUBING THE BR	SQM	
74	FLOORING WORK: PROVIDING AND LAYING INDIAN PATENT STONE FLOORING IN CEMENT CONCRETE M15 WITH BOTTOM LAYER 38MM TO 40 MM THK USING 10 MM TO 8 MM SIZE GRADED BLACK STONE AGGREGATES, FINISHED ROUGH AND 10 M TO 12 MM THK TOPPING WITH 6 MM AND DOWN SIZE AGGREGATES TEMPED, SPADED, TROWELED AND FINISHED SMOOTH WITH A FLOATING COATS OF CEMET OR NON SKID SURFACES AS DIRECTED AT ALL LEVELS INCLUDING CURING ETC. COMPLETE. FLOORING WORK: PROVIDING AND LAYING INDIAN PATENT STONE FLOORING IN CEMENT CONCRETE M15 FOR 50 MM THICK IPS FLOORING.	SQM	

75	FLOORING WORK: PROVIDING AND LAYING INDIAN PATENT STONE FLOORING IN CEMENT CONCRETE M15 WITH BOTTOM LAYER 38MM TO 40 MM THK USING 10 MM TO 8 MM SIZE GRADED BLACK STONE AGGREGATES, FINISHED ROUGH AND 10 M TO 12 MM THK TOPPING WITH 6 MM AND DOWN SIZE AGGREGATES TEMPED, SPADED, TROWELED AND FINISHED SMOOTH WITH A FLOATING COATS OF CEMET OR NON SKID SURFACES AS DIRECTED AT ALL LEVELS INCLUDING CURING ETC. COMPLETE. FLOORING WORK: PROVIDING AND LAYING INDIAN PATENT STONE FLOORING IN CEMENT CONCRETE M15 FOR 75 MM THICK IPS FLOORING.	SQM	
76	FLOORING WORK: PROVIDING AND LAYING INDIAN PATENT STONE FLOORING IN CEMENT CONCRETE M15 WITH BOTTOM LAYER 38MM TO 40 MM THK USING 10 MM TO 8 MM SIZE GRADED BLACK STONE AGGREGATES, FINISHED ROUGH AND 10 M TO 12 MM THK TOPPING WITH 6 MM AND DOWN SIZE AGGREGATES TEMPED, SPADED, TROWELED AND FINISHED SMOOTH WITH A FLOATING COATS OF CEMET OR NON SKID SURFACES AS DIRECTED AT ALL LEVELS INCLUDING CURING ETC. COMPLETE. FLOORING WORK: PROVIDING AND LAYING MACHINE MIXED MACHINE VIBRATED PLAIN CEMENT CONCRETE FOR 100 MM THICK P.C.C 1:2:4 IN FLOORING WITH SELF FINISHING	SQM	
77	FLOORING WORK: PROVIDING AND LAYING INDIAN PATENT STONE FLOORING IN CEMENT CONCRETE M15 WITH BOTTOM LAYER 38MM TO 40 MM THK USING 10 MM TO 8 MM SIZE GRADED BLACK STONE AGGREGATES, FINISHED ROUGH AND 10 M TO 12 MM THK TOPPING WITH 6 MM AND DOWN SIZE AGGREGATES TEMPED, SPADED, TROWELED AND FINISHED SMOOTH WITH A FLOATING COATS OF CEMET OR NON SKID SURFACES AS DIRECTED AT ALL LEVELS INCLUDING CURING ETC. COMPLETE. FLOORING WORK:P&F 25 MM TO 37 MM GREEN POLISHED KOTAH STONE OF UNIFORM TINT AND OF SIZE 600MM X 600MM OR 450MM X 600 MM LAID ON 40 MM CEMENT MORTAR 1:4	SQM	
78	FLOORING WORK: PROVIDING AND LAYING INDIAN PATENT STONE FLOORING IN CEMENT CONCRETE M15 WITH BOTTOM LAYER 38MM TO 40 MM THK USING 10 MM TO 8 MM SIZE GRADED BLACK STONE AGGREGATES, FINISHED ROUGH AND 10 M TO 12 MM THK TOPPING WITH 6 MM AND DOWN SIZE AGGREGATES TEMPED, SPADED, TROWELED AND FINISHED SMOOTH WITH A FLOATING COATS OF CEMET OR NON SKID SURFACES AS DIRECTED AT ALL LEVELS INCLUDING CURING ETC. COMPLETE. FLOORING WORK : P&F 19 MM TO 37 MM THK BLACK GRANITE STONE OF UNIFORM TINT	SQM	
79	FLOORING WORK: PROVIDING AND LAYING INDIAN PATENT STONE FLOORING IN CEMENT CONCRETE M15 WITH BOTTOM LAYER 38MM TO 40 MM THK USING 10 MM TO 8 MM SIZE GRADED BLACK STONE AGGREGATES, FINISHED ROUGH AND 10 M TO 12 MM THK TOPPING WITH 6 MM AND DOWN SIZE AGGREGATES TEMPED, SPADED, TROWELED AND FINISHED SMOOTH WITH A FLOATING COATS OF CEMET OR NON SKID SURFACES AS DIRECTED AT ALL LEVELS INCLUDING CURING ETC. COMPLETE. FLOORING WORK:P&F 20 TO 25 MM MACHINE CUT DOUBLE POLISHED KOTAH STONE ON 20MM THK BEDDING 1:2 CEMENT MORTAR FOR LOFT, PLATFORM,URINAL PARTITION,STEPS IN	SQM	

80	FLOORING WORK: PROVIDING AND LAYING INDIAN PATENT STONE FLOORING IN CEMENT CONCRETE M15 WITH BOTTOM LAYER 38MM TO 40 MM THK USING 10 MM TO 8 MM SIZE GRADED BLACK STONE AGGREGATES, FINISHED ROUGH AND 10 M TO 12 MM THK TOPPING WITH 6 MM AND DOWN SIZE AGGREGATES TEMPED, SPADED, TROWELED AND FINISHED SMOOTH WITH A FLOATING COATS OF CEMET OR NON SKID SURFACES AS DIRECTED AT ALL LEVELS INCLUDING CURING ETC. COMPLETE. FLOORING WORK:P&F 20 TO 25MM MACHINE CUT DOUBLE POLISHED KOTAH STONE ON 20MM THK BEDDING 1:2 CEMENT MORTAR FOR LOFT,PLATFORM,URINAL PARTITION, STEPS IN	RMT	
81	FLOORING WORK: PROVIDING AND LAYING INDIAN PATENT STONE FLOORING IN CEMENT CONCRETE M15 WITH BOTTOM LAYER 38MM TO 40 MM THK USING 10 MM TO 8 MM SIZE GRADED BLACK STONE AGGREGATES, FINISHED ROUGH AND 10 M TO 12 MM THK TOPPING WITH 6 MM AND DOWN SIZE AGGREGATES TEMPED, SPADED, TROWELED AND FINISHED SMOOTH WITH A FLOATING COATS OF CEMET OR NON SKID SURFACES AS DIRECTED AT ALL LEVELS INCLUDING CURING ETC. COMPLETE. FLOORING WORK:P&L 20MM THK IN PROPORTION 1:3 WITH OF PROPORTION 1:3 WITH SAND OF WHITE GLAZED TILES IN ON 30MM THK BEDDING OF C:M1:6 IN SIZE 12" X 12"	SQM	
82	FLOORING WORK: PROVIDING AND LAYING INDIAN PATENT STONE FLOORING IN CEMENT CONCRETE M15 WITH BOTTOM LAYER 38MM TO 40 MM THK USING 10 MM TO 8 MM SIZE GRADED BLACK STONE AGGREGATES, FINISHED ROUGH AND 10 M TO 12 MM THK TOPPING WITH 6 MM AND DOWN SIZE AGGREGATES TEMPED, SPADED, TROWELED AND FINISHED SMOOTH WITH A FLOATING COATS OF CEMET OR NON SKID SURFACES AS DIRECTED AT ALL LEVELS INCLUDING CURING ETC. COMPLETE. FLOORING WORK:P&L 20MM THK IN PROPORTION 1:3 WITH OF PROPORTION 1:3 WITH SAND OF WHITE GLAZED TILES IN ON 30MM THK BEDDING OF C:M1:6 WITH 3MM TO 6MM SPACER AND EPOXY GROUTING SIZE 2'00" X 2'00"	SQM	
83	FLOORING WORK: PROVIDING AND LAYING INDIAN PATENT STONE FLOORING IN CEMENT CONCRETE M15 WITH BOTTOM LAYER 38MM TO 40 MM THK USING 10 MM TO 8 MM SIZE GRADED BLACK STONE AGGREGATES, FINISHED ROUGH AND 10 M TO 12 MM THK TOPPING WITH 6 MM AND DOWN SIZE AGGREGATES TEMPED, SPADED, TROWELED AND FINISHED SMOOTH WITH A FLOATING COATS OF CEMET OR NON SKID SURFACES AS DIRECTED AT ALL LEVELS INCLUDING CURING ETC. COMPLETE. FLOORING WORK:P&L 20MM THK IN PROPORTION 1:3 WITH OF PROPORTION 1:3 WITH SAND OF WHITE GLAZED TILES IN ON 30MM THK BEDDING OF C:M1:6 WITH 3MM TO 6MM SPACER AND EPOXY GROUTING SIZE 2'00"X 1'00"	SQM	
84	FLOORING WORK: PROVIDING AND LAYING INDIAN PATENT STONE FLOORING IN CEMENT CONCRETE M15 WITH BOTTOM LAYER 38MM TO 40 MM THK USING 10 MM TO 8 MM SIZE GRADED BLACK STONE AGGREGATES, FINISHED ROUGH AND 10 M TO 12 MM THK TOPPING WITH 6 MM AND DOWN SIZE AGGREGATES TEMPED, SPADED, TROWELED AND FINISHED SMOOTH WITH A FLOATING COATS OF CEMET OR NON SKID SURFACES AS DIRECTED AT ALL LEVELS INCLUDING CURING ETC. COMPLETE. FLOORING WORK:P&L20MM THK BEDDING OF PROPORTION 1:3 WITH WATER PROOFING AGENT & FIX IN THIN OF PROPORTION 1:3 WITH SAND OF 100 WITH BUT FOR SIZE 8"X6"	SQM	

85	FLOORING WORK: PROVIDING AND LAYING INDIAN PATENT STONE FLOORING IN CEMENT CONCRETE M15 WITH BOTTOM LAYER 38MM TO 40 MM THK USING 10 MM TO 8 MM SIZE GRADED BLACK STONE AGGREGATES, FINISHED ROUGH AND 10 M TO 12 MM THK TOPPING WITH 6 MM AND DOWN SIZE AGGREGATES TEMPED, SPADED, TROWELED AND FINISHED SMOOTH WITH A FLOATING COATS OF CEMET OR NON SKID SURFACES AS DIRECTED AT ALL LEVELS INCLUDING CURING ETC. COMPLETE. FLOORING WORK: P&L 20MM THK BEDDING OF CEMENT MORTAR IN PROPORTION 1:3 WITH PROPORTION 1:3 WITH SAND WITH WHITE GLAZED TILES IN DADO, SIZE 8"X8",6"X6"	SQM	
86	FLOORING WORK: PROVIDING AND LAYING INDIAN PATENT STONE FLOORING IN CEMENT CONCRETE M15 WITH BOTTOM LAYER 38MM TO 40 MM THK USING 10 MM TO 8 MM SIZE GRADED BLACK STONE AGGREGATES, FINISHED ROUGH AND 10 M TO 12 MM THK TOPPING WITH 6 MM AND DOWN SIZE AGGREGATES TEMPED, SPADED, TROWELED AND FINISHED SMOOTH WITH A FLOATING COATS OF CEMET OR NON SKID SURFACES AS DIRECTED AT ALL LEVELS INCLUDING CURING ETC. COMPLETE. FLOORING WORK: PROVIDING AND LAYING CEMENT CONCRETE VATA IN PROPORTION 1:2:4 OF SIZE 100 MM X 100 MM	RMT	
87	FLOORING WORK: PROVIDING AND LAYING INDIAN PATENT STONE FLOORING IN CEMENT CONCRETE M15 WITH BOTTOM LAYER 38MM TO 40 MM THK USING 10 MM TO 8 MM SIZE GRADED BLACK STONE AGGREGATES, FINISHED ROUGH AND 10 M TO 12 MM THK TOPPING WITH 6 MM AND DOWN SIZE AGGREGATES TEMPED, SPADED, TROWELED AND FINISHED SMOOTH WITH A FLOATING COATS OF CEMET OR NON SKID SURFACES AS DIRECTED AT ALL LEVELS INCLUDING CURING ETC. COMPLETE. FLOORING WORK: PROVIDING AND LAYING CEMENT CONCRETE VATA IN PROPORTION 1:2:4 OF SIZE 150 MM X 150 MM	RMT	
88	FLOORING WORK: PROVIDING AND LAYING INDIAN PATENT STONE FLOORING IN CEMENT CONCRETE M15 WITH BOTTOM LAYER 38MM TO 40 MM THK USING 10 MM TO 8 MM SIZE GRADED BLACK STONE AGGREGATES, FINISHED ROUGH AND 10 M TO 12 MM THK TOPPING WITH 6 MM AND DOWN SIZE AGGREGATES TEMPED, SPADED, TROWELED AND FINISHED SMOOTH WITH A FLOATING COATS OF CEMET OR NON SKID SURFACES AS DIRECTED AT ALL LEVELS INCLUDING CURING ETC. COMPLETE. FLOORING WORK: PROVIDING AND LAYING CEMENT CONCRETE VATA IN PROPORTION 1:2:4 OF SIZE 230 MM X 230 MM	RMT	
89	FLOORING WORK: PROVIDING AND LAYING INDIAN PATENT STONE FLOORING IN CEMENT CONCRETE M15 WITH BOTTOM LAYER 38MM TO 40 MM THK USING 10 MM TO 8 MM SIZE GRADED BLACK STONE AGGREGATES, FINISHED ROUGH AND 10 M TO 12 MM THK TOPPING WITH 6 MM AND DOWN SIZE AGGREGATES TEMPED, SPADED, TROWELED AND FINISHED SMOOTH WITH A FLOATING COATS OF CEMET OR NON SKID SURFACES AS DIRECTED AT ALL LEVELS INCLUDING CURING ETC. COMPLETE. FLOORING WORK: DEPTT. LABOUR (UNSKILLED)	DAY	
90	FLOORING WORK: PROVIDING AND LAYING INDIAN PATENT STONE FLOORING IN CEMENT CONCRETE M15 WITH BOTTOM LAYER 38MM TO 40 MM THK USING 10 MM TO 8 MM SIZE GRADED BLACK STONE AGGREGATES, FINISHED ROUGH AND 10 M TO 12 MM THK TOPPING WITH 6 MM AND DOWN SIZE AGGREGATES TEMPED, SPADED, TROWELED AND FINISHED SMOOTH WITH A FLOATING COATS OF CEMET OR NON SKID SURFACES AS DIRECTED AT ALL	DAY	

	LEVELS INCLUDING CURING ETC. COMPLETE. FLOORING WORK: DEPTT. MESON (SKILLED)		
91	DISMANTLING WORK: RATES OF ALL ITEMS INCLUDE DISMANTLING, REMOVING AND STACKING THE DEBRIS AND REUSABLE MATERIALS AS DIRECTED WITHIN THE SITE. DISMANTLING WORK: DISMANTLING RCC BEAMS, SLABS, LINTELS, COLUMNS, PARTIES, WALLS, PLATFORMS ETC. AT ALL LEVELS INCLUDING FINISHING THE BROKEN SURFACE	M3	
92	DISMANTLING WORK: RATES OF ALL ITEMS INCLUDE DISMANTLING, REMOVING AND STACKING THE DEBRIS AND REUSABLE MATERIALS AS DIRECTED WITHIN THE SITE. DISMANTLING WORK: DISMANTLING B.B.C.C OR P.C.C 1:2:4 IN FLOORS, SUBBASE, PAVEMENTS, FOUNDATION CONCRETE ETC. AT ALL LEVELS INCLUDING STACKING THE DEBRIS (INCLUDING TILES, KOTASTONE AND GRANITE STONE FLOORING)	CM3	
93	DISMANTLING WORK : RATES OF ALL ITEMS INCLUDE DISMANTLING, REMOVING AND STACKING THE DEBRIS AND REUSABLE MATERIALS AS DIRECTED WITHIN THE SITE. DISMANTLING WORK: DISMANTLING B.B.C.C OR P.C.C 1:4:8 IN FLOORS, SUBBASE, PAVEMENTS, FOUNDATION CONCRETE ETC. MATERIALS ALL THE PLACE FOR P.C.C. 1:4:8	CM3	
94	DISMANTLING WORK : RATES OF ALL ITEMS INCLUDE DISMANTLING, REMOVING AND STACKING THE DEBRIS AND REUSABLE MATERIALS AS DIRECTED WITHIN THE SITE. DISMANTLING WORK: DISMANTLING BRICK MASONARY WALLS AND PARTITIONS PLASTERED AS PER INSTRUCTION AT ALL LEVELS INCLUDING FINISHING THE BROKEN SURFACE.	CM3	
95	DISMANTLING WORK : RATES OF ALL ITEMS INCLUDE DISMANTLING, REMOVING AND STACKING THE DEBRIS AND REUSABLE MATERIALS AS DIRECTED WITHIN THE SITE. DISMANTLING WORK: DISMANTLING BRICK MASONARY WALLS AND PARTITIONS BUT WITHOUT PLASTER	CM3	
96	DISMANTLING WORK : RATES OF ALL ITEMS INCLUDE DISMANTLING, REMOVING AND STACKING THE DEBRIS AND REUSABLE MATERIALS AS DIRECTED WITHIN THE SITE. DISMANTLING WORK: FOR CHIPPING OFF PLASTER OF ANY SPECIFICATIONS AS STACKING THE DEBRIS AS DIRECTED INCLUDING ALL TOOLS AND TACKLES, SCAFFOLDING ETC.	NOS	
97	DISMANTLING WORK : RATES OF ALL ITEMS INCLUDE DISMANTLING, REMOVING AND STACKING THE DEBRIS AND REUSABLE MATERIALS AS DIRECTED WITHIN THE SITE. DISMANTLING WORK: DISMANTLING OF ROAD (R.C.C)	CM3	
98	DISMANTLING WORK : RATES OF ALL ITEMS INCLUDE DISMANTLING, REMOVING AND STACKING THE DEBRIS AND REUSABLE MATERIALS AS DIRECTED WITHIN THE SITE. DISMANTLING WORK: DISMANTLING OF ROAD (BITUMEN)	CM3	
99	DISMANTLING WORK : RATES OF ALL ITEMS INCLUDE DISMANTLING, REMOVING AND STACKING THE DEBRIS AND REUSABLE MATERIALS AS	NOS	

	DIRECTED WITHIN THE SITE. DISMANTLING WORK: FOR MAKING HOLE OF SIZE 300 MM X 300 MM AND FINISHING IN R.C.C WALL.		
100	DISMANTLING WORK : RATES OF ALL ITEMS INCLUDE DISMANTLING, REMOVING AND STACKING THE DEBRIS AND REUSABLE MATERIALS AS DIRECTED WITHIN THE SITE. DISMANTLING WORK: FOR MAKING HOLE OF SIZE 300 MM X 300 MM AND FINISHING IN BRICK MASONARY WALL	NOS	
101	ROAD WORK : ROAD WORK: SURFACE DRESSING INCLUDING PREPARATION OF SUB-GRADE OF ROAD BRINGING EARTH WORK TO REQUIRED GRADE, SLOPE AND CAMBER INCLUDING CUTTING OR FIL	SQM	
102	ROAD WORK : ROAD WORK: P&L CLEAN COARSE SAND FOR FILLING IN PLINTH AND/OR TRENCHES INCLUDING WATERING RAMMING, CONSOLIDATING IN LAYERS OF 20 CM INCLUDING ALL TAXES	CM3	
103	ROAD WORK : ROAD WORK: P&L CLEAN COARSE SAND FOR FILLING IN PLINTH &/OR TRENCHES INCLUDING WATERING RAMMING, CONSOLIDATING IN LAYERS OF 20CM ETC. FOR 150 MM THICK Q	SQM	
104	ROAD WORK : ROAD WORK: P&L 230 MM THK RUBBLE SOLING IN ONE LAYER INCLUDING FILLING IN THE VOIDS WITH LARGEST POSSIBLE STONES, COVERING AND LEVELLING THE SURFACE WITH RUBBLE/METAL SOLING	SQM	
105	ROAD WORK : ROAD WORK: P&L 230 MM THK RUBBLE SOLING IN ONE LAYER INCLUDING FILLING IN THE VOIDS WITH LARGEST POSSIBLE STONES, COVERING FOR 150 MM THK RUBBLE SOIL	SQM	
106	ROAD WORK : ROAD WORK: P&L WEARING COURSE IN ONE LAYER IN COMPACTED THICKNESS OF 100 MM USING HAND, BROKEN BLACK TRAP METAL 40 TO 60 MM SIZE INCLUDING FILLING VOI	SQM	
107	ROAD WORK : ROAD WORK: P&L PAVER FINISHED BITU-MINOUS MACADAM SURFACING WITH 25.00 MM THK (COMPACTED) CARPET WITH A TACK COAT OF 7.5KG/10.00M2 OF APPROVED TYPE OF	SQM	
108	ROAD WORK : ROAD WORK: P&L PAVER FINISHER BITUMINOUS MACADAM SURFACING WITH SEAL COAT USING TRAPSTONE GRIT 3 TO 10 MM SIZE @ 0.18 M3/10 SQ.MM COATED WITH APPROVED	SQM	
109	ROAD WORK : ROAD WORK: P&L PRECAST / CAST IN SITU 5 MM THK RCC 1:2:4 COAT OF 7.5 KG/10.00 M2 OF REINFORCEMENT 2 KG/SQM OF THE SIZE 230 X 230 X 600 MM. THE RATE I	NOS	
110	ROAD WORK : SUPPLYING AND GROUTING GP2, IN POCKET, COLUMN BAS PLATE, PUMP FRAMES ETC (RATE /M ³)	NOS	
111	ROAD WORK : P&F FOUNDATION BOLTS EN 19 GRADE 16 MM DIA AND ABOVE, (450 MM AND ABOVE IN LENGTH INCLUDING THREADING WITH DUBBLE NUTS AND WASHERS AND TEMPLATE.) (UNIT/KG)	NOS	
112	ROAD WORK : P&F FOUNDATION BOLT ('J' TYPE) FOR PUMP FOUNDATION, BLOWER FOUNDATION, ETC. UP TO 16MM DIA AND UP TO 450MM LENGTH (UNIT	NOS	

113	SUPPLYING AND GROUTING THE POCKETS OF FOUNDATION BOLTS BETWEEN BASE PLATE. R.C.C, COLUMN, POCKETS OF SLEEVES WITH MAKING HOLES IF NECESSARY IN CONCRETE AS DIRECTED BY FREE FLOW NON SHRINK, GROUTS READY MIXED, SUCH AS SHRINKKOMP GP1,GP2. ANY OTHER EQUIVALENT TYPE GROUTS. GROUTING SHALL BE DONE AS PER DRAWING AND MANUFACTURER'S SPECIFICATIONS AND DIRECTIONS AS DIRECTED BY ARCHITECT / ENGINEER. NOTE : PAYMENT WILL BE DONE ON THE LESS MEASUREMENT OF ACTUAL MEASUREMENT AND SPECIFIED IN DETAILED STRUCTURAL DRAWING. MISC. WORK: SUPPLYING AND GROUTING FOR BOLT WITHOUT POCKETS.	NOS	
114	SUPPLYING AND GROUTING THE POCKETS OF FOUNDATION BOLTS BETWEEN BASE PLATE. R.C.C, COLUMN, POCKETS OF SLEEVES WITH MAKING HOLES IF NECESSARY IN CONCRETE AS DIRECTED BY FREE FLOW NON SHRINK, GROUTS READY MIXED, SUCH AS SHRINKKOMP GP1,GP2. ANY OTHER EQUIVALENT TYPE GROUTS. GROUTING SHALL BE DONE AS PER DRAWING AND MANUFACTURER'S SPECIFICATIONS AND DIRECTIONS AS DIRECTED BY ARCHITECT / ENGINEER. NOTE : PAYMENT WILL BE DONE ON THE LESS MEASUREMENT OF ACTUAL MEASUREMENT AND SPECIFIED IN DETAILED STRUCTURAL DRAWING. MISC. WORK: SUPPLYING AND GROUTING FOR BRACKET GROUTING BY MAKING HOLES IN WALL, FINISH UPTO 4.00 MT HEIGHT.	NOS	
115	SUPPLYING AND GROUTING THE POCKETS OF FOUNDATION BOLTS BETWEEN BASE PLATE. R.C.C, COLUMN, POCKETS OF SLEEVES WITH MAKING HOLES IF NECESSARY IN CONCRETE AS DIRECTED BY FREE FLOW NON SHRINK, GROUTS READY MIXED, SUCH AS SHRINKKOMP GP1,GP2. ANY OTHER EQUIVALENT TYPE GROUTS. GROUTING SHALL BE DONE AS PER DRAWING AND MANUFACTURER'S SPECIFICATIONS AND DIRECTIONS AS DIRECTED BY ARCHITECT / ENGINEER. NOTE : PAYMENT WILL BE DONE ON THE LESS MEASUREMENT OF ACTUAL MEASUREMENT AND SPECIFIED IN DETAILED STRUCTURAL DRAWING. MISC. WORK: SUPPLYING AND GROUTING FOR PURLIN GROUTING.	NOS	
116	SUPPLYING AND GROUTING THE POCKETS OF FOUNDATION BOLTS BETWEEN BASE PLATE. R.C.C, COLUMN, POCKETS OF SLEEVES WITH MAKING HOLES IF NECESSARY IN CONCRETE AS DIRECTED BY FREE FLOW NON SHRINK, GROUTS READY MIXED, SUCH AS SHRINKKOMP GP1,GP2. ANY OTHER EQUIVALENT TYPE GROUTS. GROUTING SHALL BE DONE AS PER DRAWING AND MANUFACTURER'S SPECIFICATIONS AND DIRECTIONS AS DIRECTED BY ARCHITECT / ENGINEER. NOTE : PAYMENT WILL BE DONE ON THE LESS MEASUREMENT OF ACTUAL MEASUREMENT AND SPECIFIED IN DETAILED STRUCTURAL DRAWING. MISC. WORK: SUPPLYING AND GROUTING FOR MAKING HOLE AND GROUTING OF CHANNEL, ANGLE ETC	NOS	
117	SUPPLYING AND GROUTING THE POCKETS OF FOUNDATION BOLTS BETWEEN BASE PLATE. R.C.C, COLUMN, POCKETS OF SLEEVES WITH MAKING HOLES IF NECESSARY IN CONCRETE AS DIRECTED BY FREE FLOW NON SHRINK, GROUTS READY MIXED, SUCH AS SHRINKKOMP GP1,GP2. ANY OTHER EQUIVALENT TYPE GROUTS. GROUTING SHALL BE DONE AS PER DRAWING AND MANUFACTURER'S SPECIFICATIONS AND DIRECTIONS AS DIRECTED BY ARCHITECT / ENGINEER. NOTE : PAYMENT WILL BE DONE ON THE LESS MEASUREMENT OF ACTUAL MEASUREMENT AND SPECIFIED IN DETAILED STRUCTURAL DRAWING. MISC. WORK: P&F FAN HOOKS MADE FROM MS BARS INCLUDING ANCHORAGE ARRANGEMENT AS DIRECTED BY ARCHITECT / ENGINEER.	NOS	

118	SUPPLYING AND GROUTING THE POCKETS OF FOUNDATION BOLTS BETWEEN BASE PLATE. R.C.C, COLUMN, POCKETS OF SLEEVES WITH MAKING HOLES IF NECESSARY IN CONCRETE AS DIRECTED BY FREE FLOW NON SHRINK, GROUTS READY MIXED, SUCH AS SHRINKKOMP GP1,GP2. ANY OTHER EQUIVALENT TYPE GROUTS. GROUTING SHALL BE DONE AS PER DRAWING AND MANUFACTURER'S SPECIFICATIONS AND DIRECTIONS AS DIRECTED BY ARCHITECT / ENGINEER. NOTE : PAYMENT WILL BE DONE ON THE LESS MEASUREMENT OF ACTUAL MEASUREMENT AND SPECIFIED IN DETAILED STRUCTURAL DRAWING. MISC. WORK: PROVIDING AND FIXING FAN HOOKS MADE FROM MS BARS INCLUDING ANCHORAGE ARRANGEMENT FOR 10 MM DIA HOOKS FABRICATED FROM 600 MM LONG BAR.	NOS	
119	SUPPLYING AND GROUTING THE POCKETS OF FOUNDATION BOLTS BETWEEN BASE PLATE. R.C.C, COLUMN, POCKETS OF SLEEVES WITH MAKING HOLES IF NECESSARY IN CONCRETE AS DIRECTED BY FREE FLOW NON SHRINK, GROUTS READY MIXED, SUCH AS SHRINKKOMP GP1,GP2. ANY OTHER EQUIVALENT TYPE GROUTS. GROUTING SHALL BE DONE AS PER DRAWING AND MANUFACTURER'S SPECIFICATIONS AND DIRECTIONS AS DIRECTED BY ARCHITECT / ENGINEER. NOTE : PAYMENT WILL BE DONE ON THE LESS MEASUREMENT OF ACTUAL MEASUREMENT AND SPECIFIED IN DETAILED STRUCTURAL DRAWING. MISC. WORK: PROVIDING AND FIXING FAN HOOKS MADE FROM MS BARS INCLUDING ANCHORAGE ARRANGEMENT FOR 12 MM DIA HOOKS FABRICATED FROM 600 MM LONG BAR.	NOS	
120	SUPPLYING AND GROUTING THE POCKETS OF FOUNDATION BOLTS BETWEEN BASE PLATE. R.C.C, COLUMN, POCKETS OF SLEEVES WITH MAKING HOLES IF NECESSARY IN CONCRETE AS DIRECTED BY FREE FLOW NON SHRINK, GROUTS READY MIXED, SUCH AS SHRINKKOMP GP1,GP2. ANY OTHER EQUIVALENT TYPE GROUTS. GROUTING SHALL BE DONE AS PER DRAWING AND MANUFACTURER'S SPECIFICATIONS AND DIRECTIONS AS DIRECTED BY ARCHITECT / ENGINEER. NOTE : PAYMENT WILL BE DONE ON THE LESS MEASUREMENT OF ACTUAL MEASUREMENT AND SPECIFIED IN DETAILED STRUCTURAL DRAWING. MISC. WORK: PROVIDING AND FIXING 3/4 DIA FOUNDATION BOLT OF 450 MM LONG INCLUDING THREADING WITH NUTS AND WASHERS.	NOS	
121	SUPPLYING AND GROUTING THE POCKETS OF FOUNDATION BOLTS BETWEEN BASE PLATE. R.C.C, COLUMN, POCKETS OF SLEEVES WITH MAKING HOLES IF NECESSARY IN CONCRETE AS DIRECTED BY FREE FLOW NON SHRINK, GROUTS READY MIXED, SUCH AS SHRINKKOMP GP1,GP2. ANY OTHER EQUIVALENT TYPE GROUTS. GROUTING SHALL BE DONE AS PER DRAWING AND MANUFACTURER'S SPECIFICATIONS AND DIRECTIONS AS DIRECTED BY ARCHITECT / ENGINEER. NOTE : PAYMENT WILL BE DONE ON THE LESS MEASUREMENT OF ACTUAL MEASUREMENT AND SPECIFIED IN DETAILED STRUCTURAL DRAWING. MISC. WORK: PROVIDING AND FIXING 3/4 DIA FOUNDATION BOLT OF 600 MM LONG INCLUDING THREADING WITH NUTS AND WASHERS.	NOS	
122	SUPPLYING AND GROUTING THE POCKETS OF FOUNDATION BOLTS BETWEEN BASE PLATE. R.C.C, COLUMN, POCKETS OF SLEEVES WITH MAKING HOLES IF NECESSARY IN CONCRETE AS DIRECTED BY FREE FLOW NON SHRINK, GROUTS READY MIXED, SUCH AS SHRINKKOMP GP1,GP2. ANY OTHER EQUIVALENT TYPE GROUTS. GROUTING SHALL BE DONE AS PER DRAWING AND MANUFACTURER'S SPECIFICATIONS AND DIRECTIONS AS DIRECTED BY ARCHITECT / ENGINEER. NOTE : PAYMENT WILL BE DONE ON THE LESS MEASUREMENT OF ACTUAL MEASUREMENT AND SPECIFIED IN DETAILED	NOS	

	STRUCTURAL DRAWING. MISC. WORK: PROVIDING AND FIXING 3/4 DIA FOUNDATION BOLT OF 750 MM LONG INCLUDING THREADING WITH NUTS AND WASHERS.		
123	SUPPLYING AND GROUTING THE POCKETS OF FOUNDATION BOLTS BETWEEN BASE PLATE. R.C.C, COLUMN, POCKETS OF SLEEVES WITH MAKING HOLES IF NECESSARY IN CONCRETE AS DIRECTED BY FREE FLOW NON SHRINK, GROUTS READY MIXED, SUCH AS SHRINKKOMP GP1,GP2. ANY OTHER EQUIVALENT TYPE GROUTS. GROUTING SHALL BE DONE AS PER DRAWING AND MANUFACTURER'S SPECIFICATIONS AND DIRECTIONS AS DIRECTED BY ARCHITECT / ENGINEER. NOTE : PAYMENT WILL BE DONE ON THE LESS MEASUREMENT OF ACTUAL MEASUREMENT AND SPECIFIED IN DETAILED STRUCTURAL DRAWING. MISC. WORK: PROVIDING AND FIXING FOUNDATION BOLTS 25 DIA UP TO 1.5 MT.LONG.	NOS	
124	SUPPLYING AND GROUTING THE POCKETS OF FOUNDATION BOLTS BETWEEN BASE PLATE. R.C.C, COLUMN, POCKETS OF SLEEVES WITH MAKING HOLES IF NECESSARY IN CONCRETE AS DIRECTED BY FREE FLOW NON SHRINK, GROUTS READY MIXED, SUCH AS SHRINKKOMP GP1,GP2. ANY OTHER EQUIVALENT TYPE GROUTS. GROUTING SHALL BE DONE AS PER DRAWING AND MANUFACTURER'S SPECIFICATIONS AND DIRECTIONS AS DIRECTED BY ARCHITECT / ENGINEER. NOTE : PAYMENT WILL BE DONE ON THE LESS MEASUREMENT OF ACTUAL MEASUREMENT AND SPECIFIED IN DETAILED STRUCTURAL DRAWING. MISC. WORK: HACKING TO OLD CONCRETE SURFACES.	SQM	
125	WATER PROOFING: PROVIDING AND LAYING CEMENT BASED WATER PROOFING TREATMENT AVERAGE 115 MM THK INDIA WATER PROOFING TYPE AS PER THEIR SPECIFICATIONS TO BASEMENT FLOOR, TERRACE FLOOR, SUNK FLOOR, TOILET, KITCHEN, DRAIN, FLOWER, BEDS, DADOS, WALLS, MACHINE ROOM, LIFT PITS ETC.. TEN YEAR GUARANTEE FOR WATER TIGHTNESS. WATER PROOFING: P&L CEMENT BASED WATER PROOFING TREATMENT AVERAGE 115 MM THK INDIA WATER PROOFING TYPE AS PER THEIR SPECIFICATIONS TO BASEMENT FLOOR, T	SQM	
126	WATER PROOFING: PROVIDING AND LAYING CEMENT BASED WATER PROOFING TREATMENT AVERAGE 115 MM THK INDIA WATER PROOFING TYPE AS PER THEIR SPECIFICATIONS TO BASEMENT FLOOR, TERRACE FLOOR, SUNK FLOOR, TOILET, KITCHEN, DRAIN, FLOWER, BEDS, DADOS, WALLS, MACHINE ROOM, LIFT PITS ETC.. TEN YEAR GUARANTEE FOR WATER TIGHTNESS. WATER PROOFING: P&L CEMENT BASED WATER PROOFING TREATMENT AVERAGE 115MM THK INDIA WATER PROOFING TYPE AS SPECIFICATION.FOR PROVIDING & FIXING MANGLORE	SQM	
127	FENCING: PROVIDING AND FIXING GALVANISED BARBED WIRE (12 X 14 GAUGE) FENCING WITH SEVEN NOS. HORIZONTAL AND TWO NOS. DIAGONAL WITH RCC POST CONFIRMING TO IS 4996-1968 SIZE OF POST 100 X 100 MM AT TOP AND 150 X 150 MM AT BOTTOM AND 2.4 M LONG (0.3 M BELOW AND 2.1 M ABOVE GL) AND C/C DISTANCE OF POST NOT TO EXCEED 2.5 M INCLUDING EXCAVATION AND PCC 1:4:8 OF SIZE 45 X 45 X 60 CM. DEPTH FOR POST FOUNDATION WITH GI CLIPS ETC. AND THREE COATS OF WHITE WASH TO CONCRETE POST COMPLETE WITH BRACING SUPOORT OF POST AT CORNERS	RMT	

	AND EVERY TENTH SUPPORT. FENCING WORK: P&F FOR PRECAST POLE OF 2.1MT. HT SIZE 125X125X300MM IN GROUND & 1.8MT. CLEAR ABOVE GROUND,0.3X0.3X0.45D, 14 SLOG, BARBED WIRE 7 LINE HO		
128	FENCING: PROVIDING AND FIXING GALVANISED BARBED WIRE (12 X 14 GAUGE) FENCING WITH SEVEN NOS. HORIZONTAL AND TWO NOS. DIAGONAL WITH RCC POST CONFIRMING TO IS 4996-1968 SIZE OF POST 100 X 100 MM AT TOP AND 150 X 150 MM AT BOTTOM AND 2.4 M LONG (0.3 M BELOW AND 2.1 M ABOVE GL) AND C/C DISTANCE OF POST NOT TO EXCEED 2.5 M INCLUDING EXCAVATION AND PCC 1:4:8 OF SIZE 45 X 45 X 60 CM. DEPTH FOR POST FOUNDATION WITH GI CLIPS ETC. AND THREE COATS OF WHITE WASH TO CONCRETE POST COMPLETE WITH BRACING SUPOORT OF POST AT CORNERS AND EVERY TENTH SUPPORT. FENCING WORK: P&F G.B.W (12 X 14 GAUGE) FENCING WITH 7 NO. HORIZONTAL & 2 NOS. DIAGONAL WITH RCC POST CONFIRMING TO IS FOR 3.0 MT. HEIGHT FENCING.	RMT	
129	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:PROVIDING, LAYING AND JOINTING FIRST QUALITY SALT GLAZED STONWARE PIPES INCLUDING LAYING TO PROPER ALIGNMENT FOR 100 MM DIA.	RMT	
130	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:PROVIDING, LAYING AND JOINTING FIRST QUALITY SALT GLAZED STONWARE PIPES INCLUDING LAYING TO PROPER ALIGNMENT FOR 150 MM DIA.	RMT	
131	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:PROVIDING AND LAYING NON PRESSURE NP2 CLASS RCC PIPES WITH COLLARS JOINTED WITH STIFF MIXTURE OF CEMENT MORTAR BUT FOR 100MM DIA	RMT	
132	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:PROVIDING AND LAYING NON PRESSURE NP2 CLASS RCC PIPES WITH COLLARS JOINTED WITH STIFF MIXTURE OF CEMENT MORTAR BUT FOR 150MM DIA	RMT	
133	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:PROVIDING AND LAYING NON PRESSURE NP2 CLASS RCC PIPES WITH COLLARS JOINTED WITH STIFF MIXTURE OF CEMENT MORTAR BUT FOR 250MM DIA	RMT	
134	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:PROVIDING AND LAYING NON PRESSURE NP2 CLASS RCC PIPES WITH COLLARS JOINTED WITH STIFF MIXTURE OF CEMENT MORTAR BUT FOR 300MM DIA	RMT	
135	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:CONSTRUCTING 300 X 300 INTERNAL SIZE BRICK MASONARY GULLY TRAP CHAMBER INCLUDING. ITEMS 1 TO 7.	NOS	
136	*** EXTERNAL SEWERAGE *** EXTERNA SEWERAGE:CONSTRUCTING BRICK MASONARY INSPECTION CHAMBER SIZE 600 X 450 AND DEPTH UPTO 1000MM INCLUDING THE FOLLOWING. ITEMS 1 TO 10.	NOS	

137	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:CONSTRUCTING BRICK MASONRY INSPECTION CHAMBER SIZE 600 X 600 AND DEPTH FROM 1500MM TO 2000 MM INCLUDING THE FOLLOWING.ITEMS 1 TO 10	NOS	
138	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:-DO- AS PER ITEM NO. 235. BUT EXTRA OVER AND ABOVE FOR ADDITIONAL DEPTH PER METER	NOS	
139	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:LAYING OF PIPE INCLUDING EXCAVATION, BACK FILLING AND JOINTING OF PIPE.	RMT	
140	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:MAKING JARI IN WALL AND FINISHING IT WITH CM 1:2	RFT	
141	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:MOULDING OF KOTAH STONE	RFT	
142	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:PROVIDING, LYING BRICK KERBING INCLUDING SMOOTH FINISHING IN CM 1:4	RMT	
143	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:P/LAYING 115 MM THICK SINGLE BRICK KERBING INCLUDING PLASTER	RMT	
144	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:P/LAYING 115 MM THICK DOUBLE BRICK KERBING INCLUDING PLASTER	RMT	
145	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:P/LAYING 230 MM THICK SINGLE BRICK KERBING INCLUDING PLASTER	RMT	
146	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE: P/LAYING 230 MM THICK DOUBLE BRICK KERBING INCLUDING PLASTER	RMT	
147	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:PROVIDING & SUPPLING CONCRETE BRACKER MACHINE (8 HOURS)	DAY	
148	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:PROVIDING & SUPPLING CONCRETE BRACKER MACHINE	HRS	
149	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:PROVIDING & LAYING ANTI-LOCK PAVER SOLLING 40 MM THK.	SFT	
150	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:PROVIDING & LAYING ANTI-LOCK PAVER SOLLING 60 MM THK.	SFT	
151	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:PROVIDING & LAYING ANTI-LOCK DECORATIVE PAVER SOLLING 40 MM THK. (IN WHITE CEMENT)	SFT	
152	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:PROVIDING & LAYING ANTI-LOCK DECORATIVE PAVER SOLLING 60 MM THK. (IN WHITE CEMENT)	SFT	
153	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:PROVIDING & LAYING ANTI-LOCK DECORATIVE PAVER SOLLING 80 MM THK. (IN WHITE CEMENT)	SFT	
154	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:PROVIDING & SUPPLYING JCB MACHINE (8 HOUR)	DAY	

155	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:PROVIDING & SUPPLYING JCB MACHINE	HRS	
156	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:PCC 1:4:8 (L&T) READY MIX	CM3	
157	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:PCC 1:2:4 (L&T) READY MIX	CM3	
158	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:PCC M20 GRADE (L&T) READY MIX	CM3	
159	*** EXTERNAL SEWERAGE *** EXTERNAL SEWERAGE:PCC M25 GRADE (L&T) READY MIX	CM3	
160	P/F APPORVE PAVER BLOCK M20 GRADE 40MM THICK	SQM	
161	P/F APPORVE PAVER BLOCK M20 GRADE 60MM THICK	SQM	
162	REBARING TMT BAR 8 MM DIA (HILTI)	NOS	
163	REBARING TMT BAR 10 MM DIA (HILTI)	NOS	
164	REBARING TMT BAR 12 MM DIA (HILTI)	NOS	
165	REBARING TMT BAR 16 MM DIA (HILTI)	NOS	
166	REBARING TMT BAR 20 MM DIA (HILTI)	NOS	
167	REBARING TMT BAR 25 MM DIA (HILTI)	NOS	
168	CHEMICAL ANCHOR FASTNER 10 MM DIA (HILTI)	NOS	
169	CHEMICAL ANCHOR FASTNER 12 MM DIA (HILTI)	NOS	
170	CHEMICAL ANCHOR FASTNER 16 MM DIA (HILTI)	NOS	
171	CHEMICAL ANCHOR FASTNER 20 MM DIA (HILTI)	NOS	
172	CHEMICAL ANCHOR FASTNER 25 MM DIA (HILTI)	NOS	
173	P & LAYING 2MM THK HDPV SHEET UNDER TRIMIX FLOORING	SQM	
174	P & LAYING 50MM THICK SAND BITUMEN BASE FOR TANK FOUNDATION	SQM	
175	SUPPLY OF UNSKILLED LABOUR	DAY	
176	SUPPLY OF SKILLED LABOUR	DAY	
177	SUPPLY OF MASON.	DAY	

178	FENCING: PROVIDING AND FIXING GALVANISED BARBED WIRE (12 X 14 GAUGE) FENCING WITH SEVEN NOS. HORIZONTAL AND TWO NOS. DIAGONAL WITH RCC POST CONFIRMING TO IS 4996-1968 SIZE OF POST 100 X 100 MM AT TOP AND 150 X 150 MM AT BOTTOM AND 2.4 M LONG (0.3 M BELOW AND 2.1 M ABOVE GL) AND C/C DISTANCE OF POST NOT TO EXCEED 2.5 M INCLUDING EXCAVATION AND PCC 1:4:8 OF SIZE 45 X 45 X 60 CM. DEPTH FOR POST FOUNDATION WITH GI CLIPS ETC. AND THREE COATS OF WHITE WASH TO CONCRETE POST COMPLETE WITH BRACING SUPPOORT OF POST AT CORNERS AND EVERY TENTH SUPPORT. FENCING WORK: P&F G.B.W (12 X 14 GAUGE) FENCING WITH 7 NO. HORIZONTAL & 2 NOS. DIAGONAL WITH RCC POST CONFIRMING TO IS FOR 3.0 MT. HEIGHT FENCING.	RMT	
179	FENCING: PROVIDING AND FIXING GALVANISED BARBED WIRE (12 X 14 GAUGE) FENCING WITH SEVEN NOS. HORIZONTAL AND TWO NOS. DIAGONAL WITH RCC POST CONFIRMING TO IS 4996-1968 SIZE OF POST 100 X 100 MM AT TOP AND 150 X 150 MM AT BOTTOM AND 2.4 M LONG (0.3 M BELOW AND 2.1 M ABOVE GL) AND C/C DISTANCE OF POST NOT TO EXCEED 2.5 M INCLUDING EXCAVATION AND PCC 1:4:8 OF SIZE 45 X 45 X 60 CM. DEPTH FOR POST FOUNDATION WITH GI CLIPS ETC. AND THREE COATS OF WHITE WASH TO CONCRETE POST COMPLETE WITH BRACING SUPPOORT OF POST AT CORNERS AND EVERY TENTH SUPPORT. FENCING WORK: P&F G.W.D. (12 X 14 GAUGE) FENCING WITH 7 NOS. HORIZONTAL & 2 NO. DIAGONAL WITH RCC POST CONFIRMING FOR ONLY LABOUR FOR 2.1 MT. HT. FENC	RMT	
180	LABOUR RATE FOR PATRA FINISHING (SELF FINISHING) (SMOOTH) ON ANY GRADE OF RCC (SITE MIX OR RMC) CONCRETE SURFACE OF RCC SLAB / GRADE SLAB/RCC ROAD/PASSAGE/BUTTOM OF TANK & DRAIN ETC (M15,M20,M25,M30)	M2	
181	LEAD FOR SHIFTING OF MATERIAL SAND KAPCHI ,BRICK ,GRIT,RUBBLE,METTAL,ETC. ANY TYPE OF MATERIAL USED IN CIVIL WORK FOR LEAD ABOVE 15 MTR TO 100 MTR BY MANNALLY ,TRACTOR OF HANDCART ETE.	M3	
182	LEAD FOR SHIFTING MATERIAL ABOVE 100MT TO 1000M (1.KM)	M3	
183	SUPPLY OF TRACTOR WITH TROLLY FOR REMOVAL OF DEBRIS/ EXCAVATED EARTH.	DAY	
184	SUPPLY OF PUMP FOR RMC CONCRETE	NO	
185	SUPPLY OF PLUMBER FOR MISC PLUMBING WORK WITH TOOLS & TACKLES	NO	
186	SUPPLY OF TRACTOR WITH DRIVER & WITH TWO NO OF LABOUR	DAY	
187	P/L OF BONDING AGENT CHEMICAL (DR.FIXIT) PIDILITE WITH CEMENT STURRY ON OLD CONCRETE SURFACE BEFORE DOING NEW CONCRETING ON OLD CONCRETE SURFACE ITEM INCLUDES OLD SURFACE CLEARING WITH BRUSH	ltr.	
188	SUPPLY OF PLUMBER FOR MISC PLUMBING WORK WITH TOOLS & TACKLES	Day.	
189	SEMI MIRROR POLISHING OF KOTA STONE / MOSAIC TILES & FLOORING	m2	
190	MIRROR POLISHING OF KOTA STONE / MOSAIC TILES & FLOORING	Day.	

191	SUPPLY OF ROLLER FOR COMPACTION (VIBRO ROLLER) (10 TON)	Day.	
192	SUPPLY OF HEAVY ROLLER FOR COMPACTION (VIBRO ROLLER) (10 TON)	hrs/d ay	
193	SUPPLY OF COMPACTOR FOR SOIL /METTAL/ GRIT WITH MINI COMPACTER (PORTABLE) MACHINE & WITH OPERATOR	HRS/D ay	
194	CUTTING OF REINFORCEMENT STEEL BAR IN ANY RCC STRUCTURE (12MM TO 16MM DIA)	nos.	
195	CUTTING OF REINFORCEMENT STEEL BAR IN ANY RCC STRUCTURE (8MM TO 10MM DIA)	nos.	
196	CUTTING OF REINFORCEMENT STEEL BAR IN ANY RCC STRUCTURE (20 MM DIA)	nos.	
197	P/L PRESSURE GROUTING (INJECTION GROUTING) FOR LEAKAGE REPAIRS WITH MAKING OF HOLE IN RCC WITH DRILLING MASHINE & CLEANING THE HOLE WITH AIR BLOWER , FIXING & GROUTING NOZLE PIPE & THEN PRESSURE GROUTING WITH CHEMICAL (MAKE PIDILITE , SIKA, FORSROC ETC) PRESSURE GROUTING MATERIAL & EQUIVALENT MAKE & THE FINISHING TOP SURFACE BY CUTTING THE EXTRA NOZLE ETC COMPLETE .	nos.	
198	SUPPLY OF JCB BREAKER WITH OPERATOR	Day.	
199	P & F of Precast compound wall	SQMT	
200	PCC 1:3:6 (L&T) READY MIX	M3	
201	Pile Excavation work up to 350 mm dia.	RMT	